

### LEE RELOADING CATALOG 2023

THE CULMINATION OF NEARLY 40 YEARS OF PROGRESSIVE PRESS DESIGN AND PRODUCTION

— PAGE 25 —

# SIX PACK PRO







leeprecision.com

### LEE LOADER

| LEE                 |
|---------------------|
| LEE PRECISION, INC. |

| 77//  |   |
|-------|---|
| 2-3   | Lee Loader   Reloading Basics   |
| 4     | Reloading Stand   Bench Plate   |
| 5     | Modern Reloading II   |
| 6-7   | Pistol Reloading Dies<br>Carbide Factory Crimp Dies   |
| 8     | Pistol Dies Size Chart  |
| 9     | Spline Drive Lock Rings<br>Shellholders   |
| 10    | Rifle Die Selection   |
| 11    | Rifle Factory Cimp Dies   |
| 12-13 | Rifle PaceSetter Dies<br>Rifle Collet   Ultimate Die Sets   |
| 14-15 | Rifle Dies Size Chart   |
| 16-17 | Reloading Press Overview<br>Single Stage and Progressive  |
| 18    | Breech Lock Reloader   Breech<br>Lock Hand Press & Kit   Ram<br>Prime   Breech Lock Ram Prime                 |
| 19    | Breech Lock Challenger Press  <br>50th Anniversary Kit<br>Breech Lock Challenger Kit<br>Bench Prime Press Kit |
| 20    | Classic Cast Press<br>50 BMG Press Kit  |
| 21    | Classic Turret Press and Kit  |
| 22    | Value Turret Press and Kit  |
| 23    | PRO 1000  |
| 24    | PRO 4000  |
| 25    | SIX PACK PRO  |
| 26    | The APP   Deluxe APP KIT  |
| 27    | The APP Accessories   |
| 28    | Quick Trim Dies   Case Trim Tools   |
| 29    | Quick Trim & Case Length<br>Gauge Charts   Bulge Buster Kit   |
| 30    | Auto Bench Prime  |
| 31    | Auto-Prime<br>Priming Tool Kits   Shellholders  |
| 32    | Deluxe Perfect Powder Measure<br>Perfect Powder Measure<br>Safety Scale   Powder Funnel<br>Powder Measure Kit |
| 33    | Pro Auto Disk Powder Measure<br>Auto Drum Powder Measure  |
| 34    | Electric Melters  |
| 35    | Lubrication and Sizing  |
| 36    | Rifle Bullet Molds  |
| 37    | Pistol Bullet Molds   |
| 38    | Black Powder Bullet Molds   |
| 39    | Slug Molds   Buckshot Molds  <br>Load-All II  |
|       |   |

LEE PRECISION, INC. 4275 HIGHWAY U HARTFORD WI 53027 262 673 3075



The kit that started it all, The Classic Lee Loader

### **Classic Lee Loader**

More shooters have chosen the famous Lee Loader for their first reloading tool than any other. They realize it is all they need for good, accurate ammunition. In fact, at one time ammunition loaded with a Lee Loader held a world record listed in the Guinness Book of World Records for more than seven years. Millions upon millions of rounds have been reloaded with the famous Lee Loader. It's the perfect tool for those who wish to simply try reloading, because it will pay for itself in just an hour or two. Find out for yourself how much fun it is to reload with the Lee Loader. Everything you need to begin loading one caliber! Use to reload cases that have been fired from your gun.

LEE LOADER 46.98

| LEE LOADER SI       | ZES   |
|---------------------|-------|
| 223 Remington       | 90232 |
| 243 Winchester      | 90235 |
| 270 Winchester      | 90240 |
| 7.62x54 Russian     | 90243 |
| 30/30 Win (30 Rem). | 90244 |
| 308 Winchester      | 90245 |
| 30/06 Springfield   | 90248 |
| 303 British         | 90247 |
| 45/70 Government    | 90264 |
| 9mm Luger           | 90254 |
| 38 Special          | 90257 |
| 357 Magnum          | 90258 |
| ‡44 Magnum          | 90260 |
| ‡45 ACP             | 90262 |
| ‡45 Colt            | 90263 |

R П L 0 A Ι N 0

### SIZE

### PRIME







COLLET

### TRIM



LUBRICATE an

inspected, clean







www.leeprecision.com

2

2023CATALOG\_11823.indd 2 1/20/23 2:45 PM

### RELOADING BASICS

ELOADING IS AN ENJOYABLE HOBBY, saves you money — and no manufacturer saves you more than Lee Precision, Inc. Our mission is simple: produce the best American made value in reloading tools. Our great prices come from patented, innovative designs. We are thankful to say that Lee Precision products are cast, machined and assembled in the USA.


A reloading press and a set of Lee Dies are all you need to start reloading. Lee Dies come complete with powder dipper, shell holder and instructions, along with comprehensive load data that tells

you how much and what type of powder to use. Dies and presses last a lifetime, so buying what your budget allows makes the most sense. For those with a workbench, consider our Lee Bench Plate for the ultimate convenience in mounting your presses. If you don't have a workbench, consider the Lee Reloading Stand, compact and very sturdy. If you have no loading equipment and are just getting started, you must consider that these basic steps need to be taken below.

Check out our complete line of reloading and casting equipment on our website, then visit your local merchant. If not blessed with a local dealer, one of the many online dealers will quickly and economically fill your order.

### SEQUENCE

### CHARGE



### SEAT & CRIMP





CHARGE



### SEAT



### CRIMP

carbide ring post sizes the



www.leeprecision.com

### RELOADING STAND | BENCH PLATE



### Lee Reloading Stand

CONCRETE BLOCK NOT INCLUDED

At last, a reloading stand built just for your reloading needs. The sturdy powder coated steel stand places your press at the perfect counter stool or standing height. Three-leg design assures absolute stability regardless of the floor condition. Rubber tipped legs suitable for any surface.

> The thick steel top is fitted with the patented, quick change Lee Bench Plate System with steel base block





# ACCESSORIES

Sturdy steel rack with fasteners designed for the Lee Reloading stand. Conveniently holds your dies at the ready, especially helpful when loading small batches of ammo with frequent die changes. Can also be wall or bench mounted.

90680



#### **Bin and Bracket**

Sturdy steel bracket and parts bin. Includes fasteners to allow direct mounting to the Lee Reloading stand, or workbench. Perfect for holding bullets, cases and loaded rounds.

90687 14.00



### Steel Base Block

Rigid, powder coated steel construction. First choice for mounting all current Lee Presses. Works with the Lee Reloading Stand and Bench Plate. Fasteners for mounting one Lee reloading press are included.

90267 17.00

# **UST REMOVE** AND REPLACE

### Patented design allows instant press change. So sturdy you can resize the monster 50 BMG case, then quickly switch to a smaller press for priming or other operations. Trapezoidal base block slides into perfect register and made immoveable with the quick tightening of four bolts.

### LEE BENCH PLATE



Includes steel base block with holes to mount any Lee press. Powder coated, thick steel plate mounts quickly and securely to any bench or tabletop. Wide steel plate distributes load, adding rigidity to the lightest bench top.

Lee Bench Plate 90251

39.00





### **MODERN RELOADING**

SECOND EDITION BY RICHARD LEE

## THAT'S MORE ACCURATE THAN FACTORY NEW ON YOUR FIRST TRY

THE SECOND EDITION OF MODERN RELOADING IS A SUMMARY OF A LIFETIME OF EXPERIENCE. NO MATTER HOW KNOWLEDGEABLE YOU ARE, YOU WILL FIND NEW AND INTERESTING INFORMATION IN THIS BOOK. IT IS A REFERENCE BOOK YOU WILL KEEP FOREVER.

**OVER 38,000 LOADS** covering over 170 cartridges in a new, larger, easier to read format, with velocities for starting loads. This is the best kind of load data — it is supplied by the powder companies.

LOAD DATA SORTED in velocity decending order.

**DIPPER, AUTO DISK DATA** included for easy setup.

### **NEW, LARGER, EASIER TO READ FORMAT**

with computer rendered and dimensioned drawings. Cartridges tabbed for quick reference.


### **LATEST INFORMATION ON PRESSURE**

### **EXCLUSIVE PRESSURE AND VELOCITY FACTORS**


enable you to accurately calculate pressure and velocity for reduced loads. An absolute necessity for cast bullet shooting.

A NEVER BEFORE PUBLISHED in depth analyses of current load data. It gives you insight into the effects of reducing or increasing a charge.

MODERN RELOADING SECOND EDITION 90277 40.98



## Contains everything about reloading, with the world's most comprehensive load data, over 38,000 loads





### CHAPTER 10

www.leeprecision.com



### SELECTING THE BEST HANDGUN DIE SET

Lee handgun dies feature a carbide sizing die simply the best way to resize straight walled handgun cartridges

Select the DELUXE PISTOL 4-DIE SET OR BREECH LOCK 4-DIE SET when using mixed range brass. The Deluxe Set includes the Carbide Factory crimp die. This die allows you to separate bullet seating from the crimping operation. It makes setup much easier and the die has the added feature of a carbide resizer that does a finishing sizing pass on the completed round. This final sizing guarantees that any case that passes through the die will freely and reliably chamber in any gun.

The CARBIDE & STEEL THREE DIE SETS work fine when using a quality controlled source of brass, like cases fired only in your gun. More care is required when adjusting the bullet seat and crimp die, as seating and crimping occur simultaneously. Bullet diameter control is important when not using the factory crimp.

Lee Dies reload cartridges better, easier, more accurately and with fewer problems!



### CARBIDE **CRIMP DIE**

Carbide ring in base resizes any portion of case that exceeds factory new dimensions. Floating crimp ring is finger adjustable to provide the perfect crimp.

#### HARDENED STEEL **SHELLHOLDER**

Others charge \$17.00 for this item!

Exclusive feature to Lee **POWDER MEASURE** & CHARGE TABLE



### POWDER THROUGH **EXPANDING DIE**

Only Lee Dies permit charging the case while expanding the case mouth. Every Lee Pistol Die Set includes this

being expanded.

Powder Through Expanding Die at no extra cost. The powder funnel adapter can be replaced with a Lee case actuated Powder Measure (pg. 33) for fully automatic powder charging while the case mouth is





### CONTOUR GROUND CARBIDE SIZING DIE

### **Carbide Sizer**

All Lee straight walled pistol dies have tungsten carbide sizer rings. Carbide is so hard that it can only be ground and polished with diamond wheels.

This hard diamond polished surface eliminates the need for case lubricationthey never wear out. Exclusive contour grind sizes closer to the rim than any other

The collet held decapper is nearly unbreakable even if misadjusted or depriming crimped military cases.

The decapper clamp collet accurately centers the decapper in the die. Should you over stress it for any reason, it harmlessly slides up without breaking. Easily reset with no limit to the times it can be reset.



#### **BULLET SEAT** & FEED DIE

#### **Bullet Seat** and Feed Die

Universal free floating seating plug works with nearly any point style bullet. No need to change seater plugs for different nose types. Finger adjustable seating depth eliminates fumbling with pliers, lock nuts and screwdrivers to make simple seating depth adjustment.

ONLY LEE DIES COME COMPLETE WITH POWDER MEASURE and CHARGE TABLE

6

2023CATALOG 11823.indd 6 1/20/23 2:45 PM

### PISTOL DIE SETS

#### LEE DELUXE PISTOL 4-DIE SET

CARBIDE FULL LENGTH SIZING DIE, POWDER THROUGH EXPANDING DIE, BULLET SEAT AND FEED DIE AND CARBIDE FACTORY CRIMP DIE.

#### BEST VALUE FOR BREECH LOCK PRESSES

#### LEE BREECH LOCK CARBIDE 4-DIE SET

COLOR CODED SMART LOCK BUSHINGS FOR NO TOOL DIE ADJUSTMENT, CARBIDE FULL LENGTH SIZING DIE, POWDER THROUGH EXPANDING DIE, BULLET SEAT AND FEED DIE AND CARBIDE FACTORY CRIMP DIE.

Combines the world's most popular carbide three-die set with the Lee Carbide Factory Crimp Die at a great price. No other die set at any price produces more reliable or accurate ammo.

By separating seating and crimping operations, you benefit by greatly simplified adjustment. More importantly, the Carbide Factory Crimp Die post sizes your case, assuring any round that passes through the die will chamber properly in your gun. This, plus all the other exclusive features – make this the best die set money can buy!

#### LEE CARBIDE PISTOL 3-DIE SET

56.98

CARBIDE FULL LENGTH SIZING DIE, POWDER THROUGH EXPANDING DIE AND BULLET SEAT & FEED DIE.

#### BEST VALUE FOR BREECH LOCK PRESSES

#### LEE BREECH LOCK CARBIDE 3-DIE SET

COLOR CODED SMART LOCK BUSHINGS FOR NO TOOL DIE ADJUSTMENT, CARBIDE FULL LENGTH SIZING DIE POWDER THROUGH EXPANDING DIE, BULLET SEAT AND FEED DIE AND CARBIDE FACTORY CRIMP DIE.

We use a solid carbide insert, ground to a special contour that does not leave the objectional belt mark on the case, common to ordinary carbide dies. With a carbide sizer, no case lube is needed, and you don't even have to clean your cases.

#### NO NEED FOR A TAPER CRIMP DIE; BETTER ACCURACY WITH LEE DIES.

Taper crimp dies are used to correct the problems caused by the improper expanding plug design or adjustment. They distort the bullet shank and reduce accuracy. Because the Lee Expander flares the minimum amount, consistent with easy bullet insertion, all of the flare is removed with the bullet seating die, thus eliminating the need for a taper crimp die.

#### LEE STEEL PISTOL 3-DIE SET

STEEL FULL LENGTH SIZING DIE, POWDER THROUGH EXPANDING DIE, BULLET SEAT AND FEED DIE, AND RESIZING LUBRICANT PACKET

Same features as our premium carbide sets, except the case must be lubricated.

### STORAGE IS EASY

LEE DIES ARE PACKED IN A FITTED BOX THAT ALLOWS DIES TO BE RETURNED TO THE BOX ADJUSTED WITH OR WITHOUT THE LEE BREECH LOCK BUSHING



### **Short Bottle Neck** Collet Style Factory Crimp Die

Incorporates a collet to apply a rifle type crimp to the case. Makes these very difficult to crimp cartridges a delight to reload. Bullets do not need a crimp groove, as the collet is so powerful it will form one.

BOTTLE NECK PISTOL **FACTORY CRIMP DIE** 

25.00

### **Taper Crimp Die**


The Lee Taper Crimp Die is hardened steel, designed to overcome crimp problems caused by poor die design. These

dies offer little or no advantage when used with 1986 or newer Lee Dies. Jacketed bullets must have a crimp groove.

TAPER CRIMP DIE

#### **Collet Style Factory Crimp Die**

Popular with cast bullet shooters that wish to use oversize bullets; also very popular when reloading heavy recoiling revolvers.



COLLET STYLE CRIMP DIE 15.98

### CARBIDE FACTORY CRIMP DIE

### **Lee Carbide Factory Crimp Die**

A CARBIDE SIZER SIZES THE cartridge while being crimped, so every round will positively chamber freely with factory like dependability. The adjusting screw quickly and easily sets the desired amount of crimp. It

> is impossible to buckle the case as with a conventional bullet seating die. Trim length is not critical so this extra operation takes less time than it would if cases were trimmed and chamfered.

Revolver dies roll crimp with no limit as to the amount. A perfect taper crimp is applied to auto-loader rounds. The crimper cannot be misadjusted to make a case mouth too small to properly head-space. A firm crimp is essential for

dependable and accurate ammunition—it eliminates the problems of poor ignition of slow burning magnum

CARBIDE FACTORY CRIMP DIE

28.98

3

3

3

3

3

4

500 S&W



| - LEECH                         |  |
|---------------------------------|--|
| INCLUDED WITH DELUXE 4-DIE SETS |  |

| FOR HANDGUN<br>AMMUNITION<br>THAT MUST WORK      | CRIMP STYLE | CARBIDE FACTORY<br>CRIMP DIE | SHORT BOTTLE NEC<br>COLLET STYLE<br>FACTORY CRIMP DI | COLLET STYLE<br>FACTORY CRIMP DI | TAPER CRIMP DIE |
|--|-------------|------------------------------|--|----------------------------------|-----------------|
| 5.7x28 FN  |             | N/A                          | 90725  | N/A                              | N/A             |
| 22 TCM   |             | N/A                          | 90087  | N/A                              | N/A             |
| 30 M1 Carbine · 32/20                            |             | N/A                          | N/A  | 90421                            | N/A             |
| 30 Luger   |             | N/A                          | 90175  | N/A                              | N/A             |
| 30 Tokarev & 30 Mauser                           |             | N/A                          | 90086  | N/A                              | N/A             |
| 32 ACP · 32 S&W Long<br>32 H&R Mag · 327 Federal | ROLL        | 90067                        | N/A  | N/A                              | N/A             |
| 9mm Makarov                                      | TAPER       | 90807                        | N/A  | N/A                              | N/A             |
| 9mm Luger  | TAPER       | 90860                        | N/A  | N/A                              | 90780           |
| 30 Super Carry                                   | TAPER       | 91890                        | N/A  | N/A                              | N/A             |
| 357 Sig  |             | N/A                          | 90076  | N/A                              | N/A             |
| 38 Super & 38 ACP                                | TAPER       | 90866                        | N/A  | N/A                              | 90780           |
| 380 Auto   | TAPER       | 90867                        | N/A  | N/A                              | 90780           |
| 38 Special                                       | ROLL        | 90861                        | N/A  | N/A                              | 90781           |
| 357 Magnum                                       | ROLL        | 90861                        | N/A  | 90813                            | 90781           |
| 40 S&W & 10mm Auto                               | TAPER       | 90862                        | N/A  | N/A                              | 90782           |
| 41 Magnum  | ROLL        | 90416                        | N/A  | N/A                              | N/A             |
| 44 Special                                       | ROLL        | 90863                        | N/A  | N/A                              | 90784           |
| 44 Magnum  | ROLL        | 90863                        | N/A  | 90930                            | 90784           |
| 44 Russian                                       | ROLL        | 90863                        | N/A  | N/A                              | N/A             |
| 45 Colt  | ROLL        | 90865                        | N/A  | 90302                            | 90786           |
| 45 ACP · 45 Auto Rim · 45 GAP · 45 Win Mag       | TAPER       | 90864                        | N/A  | N/A                              | 90785           |
| 400 CorBon                                       |             | N/A                          | 90173  | N/A                              | N/A             |
| 455 Web Mark II                                  |             | N/A                          | N/A  | N/A                              | 90785           |
| 454 Casull                                       | ROLL        | 90865                        | N/A  | N/A                              | 90786           |
| 460 S&W  |             | N/A                          | N/A  | 90926                            | N/A             |
| 500 S&W  |             | N/A                          | N/A  | 90931                            | N/A             |
|  |             |                              |  |                                  |                 |

www.leeprecision.com





#### **FREE SHELLHOLDER**

included where shown The price of Lee Dies include a FREE SHELL HOLDER of the proper size. Some manufacturers charge \$17.00 extra for this necessary part.

| DELOKE PISTOL 4-DIE SET | BREECH LOCK CARBIDE 4-DIE SET   P7 | CARBIDE 3-DIE SET   P 7 |  |
|-------------------------|------------------------------------|-------------------------|--|
|                         |                                    |                         |  |

|   | -                             |
|---|-------------------------------|
|   | _                             |
|   | -                             |
|   | щ                             |
|   | တ                             |
|   | ш                             |
|   | =                             |
|   |                               |
|   | က်                            |
| _ | 100                           |
|   | =                             |
|   | =                             |
|   | <b>8</b>                      |
|   | $\simeq$                      |
| 5 | Ø                             |
|   | ပ                             |
|   | $\sim$                        |
| 1 | - 5                           |
|   | $\sim$                        |
| , |                               |
|   | _                             |
| , | 六                             |
|   |                               |
|   | BREECH LOCK CARBIDE 3-DIE SET |
|   | ===                           |
| : | <b>*</b>                      |
| • |                               |

56.98 65.00

90624 91876

90963 91934 90509 91882

P 7 STEEL 3-DIE SET

56.98

POWDER THROUGH EXPANDING DIE

P 7

13.98

COLLET STYLE CRIMP DIE FACTORY CRIMP DIE TAPER CRIMP DIE

CASE LENGTH GAUGE

| P7

UNIVERSAL SHELLHOLDER

P 9

-59

| P 28-

8.00

| P 28-29

PRIMING TOOL SHELLHOLDER

QUICK TRIM DIE BODY 16.00 20 OC 5.98 4 98 15.98 

90931 90019 90003 90200 90178

22 TCM [2-Die Set] N/A 5.7 x 28 [ 2-Die Set ] N/A √ NEW 4.6 x 30 [2-Die Set] 25 ACP 30 M1 Carbine 90421 90135 90524 

29.98

15.98

90751 91221

91891\*

90430\*

30 Luger 30 Mausei 91888\* NEW 30 Super Carry 90769 91214 7.62 Tokarev 32 ACP 

78.00 | 85.00 |

32 S & W 32 S & W Long 1 32 H & R Mag / 327 Federal 32/20

38/40 9mm Makarov

9mm Luger

NEW 9x21 357 Sig 38 Short / Long Colt 38 Super / 38 ACP 380 Auto 38 S & W

429 Desert Eagle

400 Cor Bon

45 Win Mag

455 Web Mark II

38 Special /357 Magnum 2 40 S & W / 10mm Auto 41 Mag

90447 91935 90964▼ 91936 90965▼ 91937 90799

44 Special / 44 Magnum 90966 91938 90516 91881 44 Russian 44/40 45 Colt 90967# 91939 90514# 91884 45 ACP 45 Auto Rim 45 Schofield 

454 Casull 45 Gap 460 S & W 480 Ruger 50 Action Express

\*These dies do not include load data

♦ 30 M-1 Carbine \$14.00 extra

#### **HAVE A BREECH LOCK** PRESS?

Breech lock bushings fit all Lee Breech Lock presses, Allows instant, accurate die changes.

Breech Lock **Bushings** 

906002-Pk **16.00** Perfect with Lee Lock Rings



### **Spline Drive Bushings**

Breech lock auick change bushing with integral lock collar provides unmatched precision and convenience when adjusting dies Split clamp positively locks die into position

90063 2-Pk 16.00

**Buy more** for greater savings









Standard on Breech Lock Die Sets. No tool die adjustments 91933 4-Pk 27.00

> COLOR CODED FOR QUICK, POSITIVE DIE SELECTION

☐ Can be used to load magnum cases ☐ Can be used to load maximum cases ☐ Includes load data for magnum cases ☐ Can be used to load maximum cases ☐ Can be used to load maximu ‡ can be used to load the 475 Linebaugh #can be used to load the 454 Casull

S/O Special Order Factory Direct

500 S&W Mag

### SPLINE DRIVE BUSHINGS | LOCK RINGS

### LEE ULTIMATE SPLINE DRIVE **LOCK RINGS**

are the perfect choice when using older style

presses that require screwing your dies in and out for every operation. The new split clamp spline drive makes all other lock rings obsolete and clumsy to use.

The socket head cross bolt, even when lightly tightened, applies a vise-like

grip on your dies. No tiny set screws that easily strip or damage your die threads.

We added the famous Lee "O" ring because, no matter how securely you have the lock ring clamped to the die, it will loosen in the press frame during operation without the friction of the "O" ring. The "O" ring allows you to finger tighten into your press and will never loosen during operation. Kit includes a wrench for easy die removal.

#### **ULTIMATE LOCK RINGS**

90566 3 pack with wrench 13.98 91640 4 pack color coded. 17.98 Lock ring wrench sold separately

#### LOCK RING WRENCH

90093 3.98

A handy, compact wrench makes the new lock rings a delight to use. Spline

drive lock rings are now standard equipment on all Lee dies. Update older Lee Dies or competitor's dies.

### **NOW STANDARD ON ALL LEE DIES**

### SPLINE DRIVE LOCK RINGS (3-PACK)

### 90534 5.98

These lock rings are perfect for presses equipped with removeable die heads found on older progressive and our turret presses. Smallest outside diameter lock rings available. Captive friction "O" ring provides immovable die position with just finger tightening. Handy, no tool required for die adjustment.





Round Die Box lets you store dies installed in 3-hole turret.

### **Lee Die Boxes**




Perfect storage for dies. Made from tough, durable plastic.

| SINGLE DIE BOX | 90616 | 2.98 |
|----------------|-------|------|
| ROUND DIE BOX  | 90535 | 7.50 |
| FLAT 2-DIE BOX | 91931 | 3.98 |
| FLAT 3-DIE BOX | 90791 | 4.98 |
| FLAT 4-DIE BOX | 90422 | 6.98 |



### BIG GUN INSPIRED BREECH LOCK QUICK CHANGE STANDARD ON AL LEE SINGLE STATION PRESSES

Switch dies with a  $\frac{1}{6}$  turn rather than fourteen or more turns. Loading with a breech lock equipped press is as convenient as a Turret Press, when loading small quantities of ammunition. Interrupted three-start thread assures dies will return and lock into the exact same position. If cost is more important than convenience, you can leave the Breech Lock bushing locked in the press and screw dies in and out like a conventional press.



Breech lock bushings fit all Lee Breech

**Breech Lock Bushings** 

Lock presses. Allows instant. accurate die changes

90600

2-Pk. 16.00

with a twist of the wrist

#### **Spline Drive Bushings**

Breech lock quick change bushing with integral lock collar provides unmatched precision and convenience when adjusting dies Split clamp positively locks die into position.

90063 2-Pk 16.00

**Buy more** for greater savings











90292 15.98

SMART LOCK BUSHINGS tandard on Breech Lock Die Sets. No tool die adjustments.

91933 4-Pk **27.00** 

COLOR CODED FOR QUICK POSITIVE DIE SELECTION

### **Decapping Die**

An absolute must for those who clean cases before reloading. No cleaning or lubing needed when using this die. Tough, almost unbreakable decapper easily removes crimped in primers. Fits cases up to .560" in diameter; up to 3.125" long.

**Decapping Die** 

**Undersize Flash Hole Decapping Die** 91976 15.98

REPLACEMENT DECAPPER

UNGUIDED 3.00 UNDERSIZE FLASH HOLE 91893 3.00 GUIDED

For smooth operation and less decapper bending or breaking, order caliber specific guided decapper. 91574 17 CAL-204 RUGER

91580 30 CAL 91581 34-35 CAL 91576 22 CAL 91577 6mm=25 CAL 91583 40 CAL 91578 27 CAL -7mm 91584 45 CAL



Gently flares the case mouth to accept cast bullets without shaving. Works great to prevent damaging the moly and low friction coatings found on today's high performance jacketed bullets. Includes neck plugs for .22 cal through .45 cal, Works on everything from the 22 Hornet to the largest Ultra Mag. Costs so little and works so well you can't afford to be without one.

90798 18.00



Lee Bulge Buster Kit

Utilize all your brass by removing annoying bulge rings

Assure your mixed brass is bulge free with the Bulge Buster Kit and appropriate Lee Carbide Factory Crimp Die. This push through die adapter will quickly remove the annoying bulge rings that shell holder

constrained dies simply can't reach. The Bulge Buster Kit includes extension sleeve, push through punch,

catch container and complete instructions. And it's fast — you can reprocess your cases as quickly as you

can handle them, CARBIDE FACTORY CRIMP DIES, SEE PAGE 7



Sold separately, pg. 18

Bulge Buster Kit 90487 19.98

90867 380 ACP 90862 10 mm 90862 40 S&W

90864 45 ACP 90864 45 GAP 90864 45 Win





WITH THE LEE FACTORY CRIMP DIE, THE BULGE BUSTER WILL REPAIR ALL THESE RIMLESS CASES

Mag 90416 41 AE

www.leeprecision.com

### SELECTING THE BEST RIFLE DIE SET



### LEE OFFERS THE MOST COMPLETE DIE SETS

### FREE SHELL HOLDER SOME CHARGE OVER \$17.00 FOR THIS NECESSARY PART

#### **FREE COMPREHENSIVE LOAD DATA** PRICELESS ON SOME CARTRIDGES

#### FREE POWDER DIPPER

### EASIEST TO ADJUST DIES WITH FINGER TIGHTEN LOCK RINGS

**BUILT-IN STUCK CASE REMOVER** 

### **CASE SIZING LUBRICANT**

**INCLUDED WITH PACESETTER & ULTIMATE DIE SETS** 

TIGHTEST TOLERANCE IN THE INDUSTRY

#### **EXCLUSIVE FEATURE**

PACESETTER AND ULTIMATE DIE SETS INCLUDE FACTORY CRIMP DIE; THIS DIE FIRMLY CRIMPS BULLET IN PLACE AND APPLIES A FACTORY-STYLE CRIMP



BUILT-IN STUCK CASE REMOVER

CASE SIZING LUBRICANT

**EXCLUSIVE** CRIMP DIE



### Lee Pacesetter, Breech Lock & **RGB Series Dies**

FOR PRODUCING FACTORY-DIMENSIONED AMMO THAT RELIABLY FITS AND FEEDS IN ANY GUN

First choice for semi-auto actions. Full-length sizing is a must if you are reloading for more than one firearm or reloading cases that were fired in other firearms. Pacesetter 3-die sets include the LEE FACTORY CRIMP DIE.



**RGB DIES** see page 12



PACESETTER DIES page 12



COLLET **NECKSIZING** see page 13

### Lee Collet Necksizing Dies

For best accuracy, longest case life and no resizing lubricant required. Only the neck of the case is resized. The body is untouched-retains perfect fit to your gun's chamber. Cases should have been fired in your firearm only. Benchrest shooters' first choice; there is no other die that can produce a more accurate cartridge.

IF YOU INTEND TO RELOAD CASES FIRED IN OTHER GUNS OR YOU ARE RELOADING FOR MORE THAN ONE GUN,

SELECT THE

### Lee Ultimate Rifle Die Set

The Ultimate Set includes a full length resizing die that allows you to restore any case to factory original dimensions so that you can fire form in your gun and then reload using the superior Collet neck sizing die. Ultimate Rifle Die Sets include the LEE



### FACTORY CRIMP DIE



THE LEE FACTORY CRIMP DIE is the only effective way to crimp bottleneck rifle cartridges. Our Factory Crimp Die should be used on all loads used for hunting. Applying a factory crimp will always improve the utility of the cartridge, and in most cases, will also improve the accuracy.

The Lee Factory Crimp die crimps the bullet in place more firmly than any other tool. It is impossible to buckle the case as with regular roll crimp dies. Trim length is not critical. Tests demonstrate that even bullets which have no cannelure will shoot more accurately if crimped in place with the Lee Factory Crimp Die.

Factory ammunition is often more accurate and better able to withstand rough handling because the bullet is firmly crimped in place. A firm crimp improves accuracy because pressure must build to a higher level before the bullet begins to move. This higher start pressure insures a more uniform pressure curve and less velocity variation. Even powder selection is less critical. Until now, handloaders seated the bullet to touch the rifling to achieve similar results. This is not always possible nor desirable. The Lee Factory Crimp Die is included at no extra charge with Lee PaceSetter 3-Die Sets and Ultimate Rifle Die Sets. It's just another added value that only Lee Dies offer.

LEE FACTORY CRIMP DIE 15.98 VERY LTD. PRODUCTION LEE FACTORY CRIMP DIE 20.00



### NOT PURCHASING LEE DIES? YOU'LL STILL NEED A SHELL HOLDER

MOST LEE RIFLE DIE SETS INCLUDE A FREE SHELL HOLDER. Others charge \$17.00 for this necessary part!

| SHELL<br>HOLDER | PRESSES<br>5.98 |
|-----------------|-----------------|
| #1              | 90518           |
| #2              | 90519           |
| #3              | 90520           |
| #4              | 90521           |
| #5              | 90522           |
| #6              | 90523           |
| #7              | 90524           |
| #8              | 90525           |
| #9              | 90526           |
| #10             | 90527           |
| #11             | 90528           |
| #12             | 90529           |
| #13             | 90199           |
| #14             | 90001           |
| #15             | 90002           |
| #16             | 90003           |
| #17             | 91497           |
| #18             | 91498           |
| #19             | 90004           |
| #20             | 91499           |
| #21             | 90599           |
| #22             | 91500           |
| #23             | 91501           |
| #24             | 91502           |
| #25             | 91503           |
| #26             | 91993           |
|                 |                 |

SET OF SHELLHOLDERS Eleven of the most popular sizes fit over 115 different cartridges. Chart below included with each shell holder set. Additional cartridge listings on our website.



### UNIVERSAL SHELL HOLDER SET 90197 47.00

| OLDE | R RIFLE            | HOLDE  | R RIFLE              | HOLDER | RIFLE                | HOLDE  | RIFLE            | HOLDER | PISTOL               |
|------|--------------------|--------|----------------------|--------|----------------------|--------|------------------|--------|----------------------|
| 20   | 17 Hornet          | 2      | 250 Savage           | 12     | 7.62mm x 39          | 2      | 35 Remington     | 7      | 32 ACP               |
| 4    | 17 Remington       | 3      | 25/35                | 16     | 7.62x54 Russian      | 5      | 35 Winchester    | 4      | 32 Colt N.P.         |
| 4    | 204 Ruger          | 4      | 25/45 Sharps         | 3      | 30 Herrett           | 2      | 35 Whelen        | 4      | 380 Auto             |
| 4    | 22 TCM             | 2      | 257 Roberts          | 3      | 30/30 Win. (30 WCF)  | 5      | 350 Rem. Mag.    | 19     | 9mm LUGER            |
| 0    | 22 Hornet          | 5      | 257 Weatherby        | 2      | 300 Savage           | 3      | 356 Winchester   | 1      | 38 S & W             |
| 20   | 22 K Hornet        | 2      | 6mm Creedmoor        | 16     | 30/378               | 2      | 358 Winchester   | 1      | 38 Colt N.P.         |
| 3    | 22 Savage          | 2      | 6.5mm Creedmoor      | 21     | 30 Remington         | 5      | 358 Norma Magnum |        |                      |
| 2    | 22 BR              | 2      | 6.5mm 06             | 2      | 308 Win. (7.62 NATO) | 3      | 375 Winchester   | 19     | 38 Super Auto        |
| 6    | 218 Bee            | 2      | 6.5mm x 57           | 4      | 300 AAC Blackout     | 5      | 375 H & H        | 19     | 38 ACP               |
| 2    | 22 PPC             | 3      | 6.5 x 55 Mauser      | 5      | 30/40 Krag (30 U.S.) | 5      | 375 Weatherby    | 1      | 38 Short Colt        |
| 3    | 219 Zipper         | 10     | 6.5 Jap              | 2      | 30/06 Springfield    | 5      | 375 Ultra Magnum | 1      | 38 Long Colt         |
| LO   | 220 Swift          | 5      | 6.5 Rem. Magnum      | 5      | 300 H & H            | 5      | 375 Ruger        | 1      | 38 Special · 357 Mas |
| 4    | 221 Fireball       | 2      | 6.5 Carcano          | 5      | 300 Weatherby        | 14     | 38/40 Win.       | 19     | 357 Sig              |
| 4    | 222 Remington      | 12     | 6.5 Grendel          | 5      | 300 Win Magnum       | 3      | 38/55 Winchester | 2      | 357 Auto Magnum      |
| 4    | 222 Rem. Magnum    | 5      | 264 Win. Magnum      | 5      | 300 Ultra Magnum     | 8      | 40/82 Winchester | 19     | 40 S&W · 10mm Aut    |
| 4    | 223 (5.56mm)       | 5      | 26 Nosler            | 5      | 300 Win S Magnum     | 5      | 416 Remington    |        |                      |
| 5    | 223 WSSM           | 21     | 6.8 SPC              | 5      | 308 Norma Magnum     | 25     | 416 Rigby        | 1      | 41 Long Colt         |
| 2    | 224 Clark (22/257) | 2      | 270 Winchester       | 5      | 303 British          | 18     | 43 Mauser        | 19     | 41 Action Express    |
| 1    | 224 Valkyrie       | 5      | 270 Weatherby        | 2      | 7.7 Japanese         | 17     | 43 Spanish       | 9      | 41 Magnum            |
| .0   | 225 Winchester     | 5      | 270 Win S Mag        | 3      | 32 Win. Spc'l        | 14     | 44/40            | 11     | 44 S&W Spl · 44 Ma   |
| 2    | 22/250             | 2      | 280 Remington        | 3      | 32 Win. S.L.         | 11     | 444 Marlin       | 11     | 44 S & W Russian     |
| 2    | 240 Weatherby      | 2      | 7mm/08               | 6      | 32/20 (32 W.C.F.)    | 8      | 45/70 Gov't      | 2      | 44 Auto Mag.         |
| 2    | 243 Win.           | 2      | 7mm BR               | 3      | 32/40 Winchester     | 2      | 450 Bushmaster   | 2      | 45 Auto              |
| 5    | 243 WSSM           | 4      | 7mm TCU              | 2      | 8 x 57 Mauser        | 5      | 458 Win. Magnum  | 11.814 | 45 Colt              |
| 2    | 6mm Remington      | 3      | 7 x 30 Waters        | 2      | 8mm 06               | HOLDER | PISTOL           |        |                      |
| 2    | 244 Remington      | 2 & 10 | 7 x 57mm Mauser      | 2      | 8mm Man. Schoe.      | 15     | 5.7 x 28         | 14     | 45 Schofield         |
| 2    | 6mm Int'l          | 5      | 7 x 61 Sharpe & Hart | 5      | 8mm Rem. Magnum      | 1      | 22 Rem. Jet      | 11     | 454 Casull           |
| 2    | 6mm/284            | 5      | 7mm Rem. Magnum      | 17     | 8mm Lebel            | 15     | 25 ACP           | 14     | 460 S&W              |
| 2    | 6mm/06             | 5      | 7mm Win S Mag        | 16     | 8x56R Hungarian      | 1      | 256 Win. Magnum  | 5      | 455 Webley           |
| 2    | 6 PPC              | 5      | 7mm Weatherby        | 8      | 33 Winchester        | 19     | 30 Luger         | 13     | 45 Auto Rim          |
| 4    | 6 x 47 (6mm/222M)  | 5      | 7mm Ultra Mag        | 25     | 338 Lapua            | 19     | 30 Mauser        | 3      | 45 Win. Magnum       |
| 2    | 25/284             | 2      | 284 Winchester       | 5      | 338 Win. Magnum      | 4      | 32 Short Colt    | 5&16   | 480 Ruger            |
| 5    | 25/303             | 3      | 7.5mm Schmidt-Rubin  | 5      | 338 Ultra Magnum     | 4      | 32 Long Colt     | 5      | 475 Linebaugh        |
| 2    | 25/06              | 7      | 30 M 1 Carbine       | 5      | 340 Weatherby        | 4      | 32 S & W         | _      |                      |
| 6    | 25/20 Winchester   | 3      | 7.65x53 Arg. Mauser  | 8      | 348 Win.             | 4      | 32 S & W Long    | 16     | 500 S&W              |

www.leeprecision.com

2023CATALOG 11823.indd 11 1/20/23 2:45 PM

### LEE PACESETTER RIFLE DIES





### INTERNAL FINISH IN THE INDUSTRY

#### ALL LEE DIES ARE MACHINE HONED TO THE SMOOTHEST POSSIBLE FINISH

Don't confuse this with the surface polish that's used by most manufacturers. A polish simply makes a shiny surface. It's like trying to sand wood without backing under the sandpaper. The surface in Lee dies is progressively honed to a fine finish with no waves or ripples.

### INCLUDES

FULL LENGTH SIZING DIE

BUILT IN STUCK CASE REMOVER

RESIZING LUBRICANT PACKET

EASY X EXPANDER

EASY ADJUST DEAD LENGTH BULLET SEATING DIE

**FACTORY CRIMP DIE** 

SHELL HOLDER

POWDER DIPPER

LOAD DATA & INSTRUCTIONS



## New LEE BREECH LOCK PACESETTER 3-DIE SETS

#### INCLUDES THE EXCLUSIVE LEE FACTORY CRIMP DIE

### Lee PaceSetter™ 3-Die Set

### THESE DIES ARE YOUR BEST BUY!

Lee PaceSetter 3-Die sets include the exclusive Lee Factory Crimp™ Die to produce factory-like ammunition with improved utility and accuracy. The die set also includes an easy adjust dead length bullet seater, shell holder, powder dipper, load data—and all are packed in the nicest storage box ever designed. The extras represent a \$32.00 value. Most are unavailable at any price from other suppliers.

### BEST VALUE FOR BREECH LOCK PRESS OWNERS

LEE PACESETTER 3-DIE SET 46.98

LEE BREECH LOCK
PACESETTER 3-DIE SET

54.00

46.98

LEE PACESETTER 2-DIE SET

Same features as our PaceSetter 3-die set, just in very limited production. Does not include Factory crimp die; rather, a bullet seat and crimp die.

# LEE RIFLE DIES FEATURE THE LEE EASYX EXPANDER





### Lee Resizing Lubricant

ANOTHER FIRST BY LEE. We purchased the finest automotive deep draw lubricant and had it custom packaged exclusively for us. Lee lube is pleasant to handle and you can thin with water. Non-sticky, non-allergenic. Very little is needed; it goes a long way. Eliminates stuck and dented cases, and makes sizing less work.

2 OZ. TUBE 90006 **5.98** 



**RGB Dies** Compare to other brands costing twice as much and you'll recognize what a fantastic bargain they are. We offer these only to show that when you buy Lee Dies — without all of the extras Lee

customers have come to expect — the price is significantly lower, yet the quality is the best. Our tolerance is 50% less than the advertised amount of a popular and expensive brand. We guarantee these dies to be better than any other brand. If for any reason you're not 100% satisfied—just return them to the factory with your sales slip and pay the difference of what you paid and the manufacturer's catalog list price of the dies you want. We will ship them to you with our thanks for trying ours.


These dies are a **Really Great Buy**. They cost less, because like other die makers, we left out \$32.00 worth of extras which are included in our PaceSetter™ dies. Do yourself a favor and check our PaceSetter dies.

RGB Series Dies only 30.98



2023CATALOG\_11823.indd 12 1/20/23 2:45 PM

### ReLOADING23 COLLET DIES ULTIMATE COLLET DIE SET



# GUARANTEED TO LOAD THE MOST ACCURATE AMMUNITION RYOUR MONEY BACK

- NO LUBRICATION REQUIRED
- **GUARANTEED ACCURACY**
- EXTENDS CASE LIFE 10X
- FASTEST TO USE
- NO CLEANING OR LUBING REQUIRED

### **Lee Collet Dies**

There is no loading system that will load more accurate ammunition than Lee Collet Dies. We guarantee it in writing with every set. No one but Lee has ever dared make a guarantee like this — *Smallest group size or your money back.* A collet squeezes the case neck against a precision mandrel for a perfect bullet fit with minimum run-out. No case lube is needed. Cases

last ten times longer, so the savings on only 35 cases will pay for the dies. Maximum accuracy is usually achieved by seating the bullet out far enough to touch or almost touch the rifling. This provides the shot start pressure normally supplied by the crimp. That's why a dead length bullet seater is included to complete the most accurate

reloading system ever made. These dies size only the neck to preserve the perfect fit of fire forming. Only reload cases that have been fired in your gun. Not recommended for autoloaders, slide or lever action guns. See list of sizes on pages 14-15.

Lee Collet Die for neck sizing 49.98

DIE SETS INCLUDE: COLLET NECK SIZING DIE, DEAD LENGTH BULLET SEATING DIE, SHELL HOLDER, POWDER DIPPER, CHARGE TABLE AND STORAGE BOX.

MOST CALIBERS NOT LISTED CAN BE CUSTOM MADE. SEE WEB FOR DETAILS: leeprecision.com/custom-collet-necksizing-die-set.html

### Lee Ultimate Rifle Die Set

Choose this die set for maximum versatility. The set features a full length-resizing die to return brass to factory new dimensions, perfect for reloading brass fired in other guns. The Collet Necksizing die is used on your fire formed brass giving you best possible accuracy. No case lube required and cases last almost forever. The Easy Adjust Dead Length Bullet seating die foolproofs the bullet seating adjustment, and assures perfect seating depth every time. The Factory Crimp Die provides a secure crimp on bullets with or without a crimp groove. In most cases, it helps accuracy by providing a uniform higher start pressure and gives the finished cartridge factory-like accuracy and dependability.

The set is complete with shell holder, powder measure and famous Lee load data featuring all common brands of powder organized in an easy to read logical format.

In addition to best accuracy, you get these benefits

NO CASE LUBRICATION REQUIRED WITH COLLET DIE

REDUCED OR ELIMINATES CASE TRIMMING
TEN TIMES INCREASED CASE LIFE

UNMATCHED SPEED AND CONVENIENCE

MINIMUM BULLET RUNOUT

MOST UNIFORM NECK TENSION

LEE ULTIMATE RIFLE DIE SET 74.00

INCLUDES COMPLETE COLLET DIE SET PLUS FACTORY CRIMP DIE, FULL LENGTH RESIZING DIE & RESIZING LUBRICANT SAMPLE.





Lee Collet Die
accuracy
contributes
to world record



While competing in a regularly sanctioned 1000 Yard Match on July 25th, 1993, Robert Frey established a new 1000 yard World Record. We're honored he used the **LEE COLLET DIE** to load his record setting ammunition.

World record breaker Robert Frey commented: "The Lee Collet Neck Sizing Die enables me to get top accuracy from my rifles (match and hunting). The design principle of sizing the case neck to a mandrel is unmatched for accuracy potential by any other dies. It is one of the best ways to make all of my rifles shoot their tightest groups."

www.leeprecision.com

### LEE RIFLE DIES

#### BEST VALUE FOR BREECH LOCK PRESSES

### 

|              | LEE RIFLE DIES   |             |                             |   | OR BREECH L                  | JCK PRESSES                               |                       |                                 |                                |                                  |                      |                              |                                  | LEE PRECISION, INC.           |                                |  |
|--------------|--|-------------|-----------------------------|---|------------------------------|---|-----------------------|---------------------------------|--------------------------------|----------------------------------|----------------------|------------------------------|----------------------------------|-------------------------------|--------------------------------|--|
| 1            | FREE SHELLHOLDER INCLUDED WHERE SHOWN The price of Lee Dies include a FREE   |             | 27                          | 2   | 2                            | 2   |                       |                                 | 13                             | <u></u>                          | P 11                 | 59                           | ~                                | P31                           | 8-29                           |  |
|              | The price of Lee Dies include a FREE shell holder of the proper size. Some manufacturers charge \$17.00 extra for this necessary part. | RGB DIES P1 | PACESETTER<br>3-DIE SET P12 | BREECH LOCK<br>PACESETTER<br>3-DIE SET P 12 | PACESETTER<br>2-DIE SET P 12 | PACESETTER<br>VERYLTD. P 12<br>PRODUCTION | COLLET<br>DIE SET P13 | ULTIMATE<br>Rifledieset<br>P 13 | COLLET NECK<br>Sizing die P 13 | .002 UNDERSIZE<br>Collet Mandrel | FACTORY<br>CRIMP DIE | CASE LENGTH<br>GAUGE P 28-29 | UNIVERSAL<br>SHELLHOLDER<br>P 11 | PRIMING TOOL<br>Shellholder R | QUICK TRIM<br>DIE BODY P 28–29 |  |
|              |  | 30.98       | 46.98                       | 54.00                                       | 46.98                        | 51.98                                     | 49.98                 | 74.00                           | 29.98                          | 5.00                             | 15.98 –<br>20.00     | 8.00 —<br>13.00              | 5.98                             | 4.98                          | 16.00 —<br>20.00               |  |
|              | 17 Hornet  |             | 90096                       |   |                              |   |                       |                                 |                                |                                  | 90605                | N/A                          | 91499                            | 90020                         | 90611                          |  |
|              | 17 Remington   |             |                             |   | 90770                        |   | 90804                 |                                 | 91000                          |                                  | 91571                | N/A                          | 90521                            | 90204                         | 90435                          |  |
|              | 204 Ruger  |             | 90417                       |   |                              |   | 90734                 |                                 | 91001                          |                                  | 90567                | N/A                          | 90521                            | 90204                         | 90439                          |  |
|              | 22 Hornet  |             | 90500                       |   |                              |   | 90705                 |                                 | 91002                          |                                  | 90829                | 90111                        | 91499                            | 90020                         | 90354                          |  |
|              | 218 Bee  |             | 90753                       |   |                              |   |                       |                                 |                                |                                  | 90830                | 90225                        | 90523                            | 90206                         | 91350                          |  |
|              | 221 Fireball   |             | 90549                       |   |                              |   |                       |                                 |                                |                                  | 90829                | 90112                        | 90521                            | 90204                         | 91364                          |  |
|              | 222 Remington  | 90870       | 90501                       |   |                              |   | 90706                 |                                 | 91003                          |                                  | 90816                | 90113                        | 90521                            | 90204                         | 90340                          |  |
|              | 223 Remington  | 90871       | 90502                       | 91932                                       |                              |   | 90707                 | 90694                           | 90954                          | 90602                            | 90817                | 90114                        | 90521                            | 90204                         | 90179                          |  |
|              | 223 Ack. Imp.  |             |                             |   |                              | 90981~                                    | 90707                 |                                 | 90954                          | 90602                            | 90817                | 90114                        | 90521                            | 90204                         | 90179                          |  |
|              | 25-45 Sharps   | 00072       | 90503                       | 91948                                       |                              | 90475*~                                   | 90708                 | 90739                           | 90955                          | 90602                            | 91107<br>90818       | 90116                        | 90521<br>90519                   | 90204<br>90202                | 90284                          |  |
|              | 22/250<br>22/250 Ack. Imp.   | 90872       | 90503                       | 91946                                       |                              | 90980~                                    | 90708                 | 90739                           | 90955                          | 90602                            | 90818                | 90116                        | 90519                            | 90202                         | 90284                          |  |
|              | 220 Swift  |             | 90542                       |   |                              | 30380.4                                   | 90702                 |                                 | 91004                          | 90002                            | 90831                | 90118                        | 90527                            | 90210                         | 91370                          |  |
|              | 223 WSSM   |             | 30342                       |   | 90446                        |   | 30702                 |                                 | 31004                          |                                  | 30031                | 90673                        | 90522                            | 90205                         | 91358                          |  |
|              | 243 Winchester   | 90873       | 90504                       | 91949                                       | 00110                        |   | 90709                 | 90556                           | 90956                          | 90007                            | 90819                | 90119                        | 90519                            | 90202                         | 90320                          |  |
|              | 6mm Creedmoor  |             | 90482                       |   |                              |   | 90759                 |                                 | 91005                          | 90007                            | 91488                | 91340                        | 90519                            | 90202                         | 90658                          |  |
|              | 6mm Rem /244 Rem   |             | 90540                       |   |                              |   | 90710                 |                                 | 91006                          | 90007                            | 90832                | 90120                        | 90519                            | 90202                         | 90434                          |  |
|              | 243 WSSM   |             |                             |   | 90990                        |   |                       |                                 |                                |                                  | 90187                | 90389                        | 90522                            | 90205                         | 91341                          |  |
| <b>NEW</b>   | 6mm GT   |             |                             |   |                              | 91956                                     |                       |                                 |                                |                                  | 91957                |                              | 90519                            | 90202                         | 91979                          |  |
|              | 25/20 WCF  |             | 90750                       |   |                              |   |                       |                                 |                                |                                  | 90833                | 90121                        | 90523                            | 90206                         | 91385                          |  |
|              | 25/35  |             |                             |   | 90778                        |   |                       |                                 |                                |                                  | 91235                | 91306                        | 90520                            | 90203                         | 0.40=4                         |  |
|              | 250 Savage/250-3000  |             | 90550                       |   |                              |   | 00700                 |                                 | 01007                          |                                  | 90834                | 90122                        | 90519                            | 90202                         | 91374                          |  |
|              | 257 Roberts<br>257 Ack. Imp.   |             | 90551                       |   |                              | 90988~                                    | 90703<br>90703        |                                 | 91007<br>91007                 |                                  | 90835<br>90835       | 90123<br>90123               | 90519<br>90519                   | 90202<br>90202                | 91357<br>91357                 |  |
|              | 260 Remington  |             | 90298                       |   |                              | 30300                                     | 90974                 |                                 | 91008                          | 90069                            | 90977                | 90993                        | 90519                            | 90202                         | 90399                          |  |
|              | 25/06 Rem  |             | 90536                       |   |                              |   | 90711                 |                                 | 90957                          | 00000                            | 90836                | 90124                        | 90519                            | 90202                         | 90334                          |  |
|              | 25 WSSM  |             |                             |   | 90413                        |   |                       |                                 |                                |                                  |                      | 90221                        | 90522                            | 90205                         |                                |  |
|              | 264 Win Mag  |             |                             |   | 90774                        |   |                       |                                 |                                |                                  | 91247                | 91308                        | 90522                            | 90205                         |                                |  |
|              | 26 Nosler  |             | 90081                       |   |                              |   |                       |                                 |                                |                                  | 91163                | 91307                        | 90522                            | 90205                         | 90637                          |  |
|              | 6.5 Carcano  |             |                             |   | 90749                        |   |                       |                                 |                                |                                  | 91229                | 90043                        | 90519                            | 90202                         | 91353                          |  |
|              | 6.5 Japanese   |             |                             |   | 90730                        |   |                       |                                 |                                |                                  |                      | 91331                        | 90527                            | 90210                         |                                |  |
|              | 6.5 x 55 Swedish Mauser  | 90874       | 90627                       |   |                              |   | 90712                 |                                 | 91009                          | 90069                            | 90837                | 90126                        | 90520                            | 90203                         | 90337                          |  |
|              | 6.5 Creedmoor  | 91556       | 91821                       | 91920                                       |                              |   |                       | 90939                           | 91012                          | 90069                            | 90704                | 90814                        | 90519                            | 90202                         | 90812                          |  |
| <b>∢</b> NEW | 8.6 Blackout   | 91922*      |                             |   |                              | 00000                                     |                       |                                 |                                |                                  | 91924                | 92001                        | 90519                            | 90202                         | 91978                          |  |
|              | 6.5 PRC  |             |                             |   |                              | 90662                                     |                       |                                 |                                |                                  | 91492                | 91533                        | 90522                            | 90205                         | 91348                          |  |
|              | 6.5/300 Win Short Mag<br>6mm ARC   |             |                             |   |                              | 90985<br>91562*~                          | 91563*                |                                 |                                |                                  | 91664                |                              | 90522<br>90529                   | 90205<br>90212                | 91665                          |  |
|              | 6.5 Grendel  |             | 90557                       |   |                              | 01002                                     | 91606                 |                                 |                                |                                  | 90596                | 91278                        | 90529                            | 90212                         | 90763                          |  |
|              | 6.8 Western  |             |                             |   |                              | 91750                                     | 02000                 |                                 |                                |                                  | 91830                | 011.0                        | 90522                            | 90205                         | 91761                          |  |
|              | 6.5 Weatherby RPM  |             |                             |   |                              | 91768                                     |                       |                                 |                                |                                  | 91822                |                              | 90519                            | 90202                         | 91771                          |  |
|              | 270 Win Short Mag  |             | 90572                       |   |                              |   |                       |                                 |                                |                                  | 90962                | 90117                        | 90522                            | 90205                         | 90393                          |  |
|              | 270 Winchester   | 90875       | 90505                       | 91950                                       |                              |   | 90713                 | 90593                           | 90958                          | 90496                            | 90820                | 90128                        | 90519                            | 90202                         | 90229                          |  |
|              | 224 Valkyrie   |             | 90066                       |   |                              |   |                       |                                 |                                |                                  | 91487                | 91339                        | 90599                            | 90031                         | 90868                          |  |
|              | 6.8 Rem SPC  |             | 90427                       |   |                              |   |                       |                                 |                                |                                  | 90735                | 90189                        | 90599                            | 90031                         | 90397                          |  |
|              | 7/30 Waters  |             | 90748                       |   |                              |   |                       |                                 |                                |                                  | 90838                | 91335                        | 90520                            | 90203                         |                                |  |
|              | 7 x 57 Mauser  |             | 90541                       |   |                              |   | 90714                 |                                 | 91010                          | 90631                            | 90839                | 90130                        | 90519                            | 90202                         | 90489                          |  |
|              | 7 x 64 Brenneke  |             | 90771                       |   |                              |   | 00===                 |                                 | 04.0                           | 000=                             | 90821                | 90236                        | 90527                            | 90210                         | 91386                          |  |
|              | 7mm/08   |             | 90537                       |   |                              |   | 90723                 |                                 | 91011                          | 90631                            | 90840                | 90167                        | 90519                            | 90202                         | 90343                          |  |
|              | 7mm Express/280 Rem  |             | 90552                       |   |                              | 00000                                     | 90724                 |                                 | 91013                          | 90631                            | 90841                | 90166                        | 90519                            | 90202                         | 90412                          |  |
|              | 280 Ack. Imp.<br>7mm Win Short Mag   |             |                             |   | 90573                        | 90989~                                    | 90724                 |                                 | 91013                          | 90631                            | 90841<br>91271       | 90166<br>90314               | 90519<br>90522                   | 90202<br>90205                | 91375                          |  |
|              | 7mm Rem Mag  | 90876       | 90538                       | 91951                                       | 00013                        |   | 90720                 | 90679                           | 91014                          | 90631                            | 90821                | 90314                        | 90522                            | 90205                         | 90297                          |  |
|              | 7mm STW  | 50070       | 90678                       | 01001                                       |                              |   | 55720                 | 55015                           | 01014                          | 00001                            | 90869                | 91332                        | 90522                            | 90205                         | 00201                          |  |
|              | 7mm Ultra Mag  |             | 90979                       |   |                              |   |                       |                                 |                                |                                  | 90869                | 91333                        | 90522                            | 90205                         |                                |  |
|              | 284 Winchester   |             |                             |   | 90777                        |   |                       |                                 |                                |                                  | 91249                | 90129                        | 90519                            | 90202                         | 91362                          |  |
|              | 7.35 Carcano   |             |                             |   | 90766                        |   |                       |                                 |                                |                                  | 91269                | 91293                        | 90519                            | 90202                         |                                |  |
|              | 7 5 v 55 Swiss   |             | 90767                       |   |                              |   | 90186                 |                                 | 91015                          | 90480                            | 90184                | 90132                        | 90520                            | 90203                         | 90419                          |  |

91015 90480

7.5 x 55 Swiss

7.5x54 French MAS

7.62 x 39 Russian

7.62 x 54 Russian

<sup>\*</sup> THESE DIES DO NOT INCLUDE LOAD DATA

<sup>≈ 3</sup> DIE SET WITH FACTORY CRIMP DIE

| 300 AAC Blackout 300 Ham'R 30/40 Krag 30/30 Win 9 30/30 Ack. Imp. 303 Savage 277 Sig Fury 308 Winchester 9 300 Win Short Mag 300 Savage 30/06 9 338/06  | 30.98<br>30.98<br>90878<br>90880<br>90881 | 46.98<br>90575<br>90555<br>90506<br>90756<br>90545<br>90508<br>90539<br>90560 | 54.00<br>91925<br>91952        | 99 PACESETTER<br>6.9 2-DIE SET P 12 | 51.98<br>91564~<br>90982~<br>91989* | 49.98<br>90772<br>91608<br>90716<br>90716 | 74.00<br>90693 | 29.98<br>91017<br>91018<br>91018 | 00.5 UNDERSIZE<br>00.00 00. | 11. a. <b>ACLOSIA</b> 15.98 – 20.00 90590 91276 90843 90822 | <b>CASE LENGTH 8.00</b> – 13.00 90443 90137 90136 | 5.98<br>90521<br>90521<br>90522<br>90522 | 4.98<br>90204<br>90204<br>90205<br>90203 | 16.00 – 20.00<br>90689<br>91354<br>90249             | 0.00 134-12 THREAD SERIES FACTORY CRIMP DIES P 20 | 00 134-12 THREAD SERIES COLLET DIES P 20 | 134 – 12 THREAD SERIES<br>00 016S P 20 |
|---|---|---|--------------------------------|-------------------------------------|-------------------------------------|---|----------------|----------------------------------|---|---|---|--|--|--|---|--|--|
| 300 AAC Blackout 300 Ham'R 30/40 Krag 30/30 Win 30/30 Ack. Imp. 303 Savage 277 Sig Fury 308 Winchester 300 Win Short Mag 300 Savage 30/06 338/06 300 Win Mag 300 H & H 6.5-300 Weatherby Mag 300 Weatherby Mag 300 Ultra Mag 7.65 Arg Mauser                  | 90878<br>90879<br>90880                   | 46.98<br>90575<br>90555<br>90506<br>90756<br>90507<br>90942<br>90545<br>90508 | <b>54.00</b> 91925 91952 91953 |                                     | 51.98<br>91564~<br>90982~           | 49.98<br>90772<br>91608<br>90716<br>90716 | 74.00          | 29.98<br>91017<br>91636<br>91018 | 5.00  | 15.98 –<br>20.00<br>90590<br>91276<br>90843                 | 8.00 -<br>13.00<br>90443<br>90137                 | 5.98<br>90521<br>90521<br>90522          | 4.98<br>90204<br>90204<br>90205          | 16.00 -<br>20.00<br>90689<br>91609<br>91354<br>90249 |   |  |  |
| 300 AAC Blackout 300 Ham'R 30/40 Krag 30/30 Win 30/30 Ack. Imp. 303 Savage 277 Sig Fury 308 Winchester 300 Win Short Mag 300 Savage 30/06 338/06 300 Win Mag 300 H & H 5.5-300 Weatherby Mag 300 Weatherby Mag 300 Ultra Mag 7.65 Arg Mauser                  | 90878<br>90879<br>90880                   | 90575<br>90555<br>90506<br>90756<br>90507<br>90942<br>90545<br>90508          | 91925<br>91952<br>91953        | 46.98                               | 91564~<br>90982~                    | 90772<br>91608<br>90716<br>90716          |                | 91017<br>91636<br>91018          |   | 90590<br>91276<br>90843                                     | 90443<br>90137                                    | 90521<br>90521<br>90522                  | 90204<br>90204<br>90205                  | 20.00<br>90689<br>91609<br>91354<br>90249            | 50.00   | 130.00                                   | 130.0                                  |
| 800 Ham'R 80/40 Krag 80/30 Win 80/30 Ack. Imp. 803 Savage 277 Sig Fury 808 Winchester 800 Win Short Mag 800 Savage 80/06 838/06 800 Win Mag 800 H & H 8.5-300 Weatherby Mag 800 Weatherby Mag 800 Ultra Mag 7.65 Arg Mauser                                   | 90879                                     | 90555<br>90506<br>90756<br>90507<br>90942<br>90545<br>90508                   | 91952<br>91953                 |                                     | 90982~                              | 91608<br>90716<br>90716                   | 90693          | 91636<br>91018                   | 90480   | 91276<br>90843  | 90137   | 90521<br>90522                           | 90204<br>90205                           | 91609<br>91354<br>90249                              |   |  |  |
| 80/30 Win 98<br>80/30 Ack. Imp.<br>80/30 Ack. Imp.<br>803 Savage<br>877 Sig Fury<br>808 Winchester 98<br>800 Win Short Mag<br>800 Savage<br>80/06 98<br>808/06 98<br>800 Win Mag 98<br>800 H & H<br>8.5–300 Weatherby Mag<br>800 Ultra Mag<br>7.65 Arg Mauser | 90879                                     | 90506<br>90756<br>90507<br>90942<br>90545<br>90508                            | 91953                          |                                     |                                     | 90716                                     | 90693          |                                  | 90480   |   |   |  |  | 90249  |   |  |  |
| 30/30 Ack. Imp. 303 Savage 277 Sig Fury 308 Winchester 300 Win Short Mag 300 Savage 30/06 338/06 300 Win Mag 300 H & H 5.5-300 Weatherby Mag 300 Ultra Mag 7.65 Arg Mauser  | 90879                                     | 90756<br>90507<br>90942<br>90545<br>90508                                     | 91953                          |                                     |                                     | 90716                                     | 90693          |                                  | 90480   | 90822   | 90136   | 90520                                    | 90203                                    |  |   |  |  |
| 277 Sig Fury 308 Winchester 300 Win Short Mag 300 Savage 30/06 338/06 300 Win Mag 300 H & H 5.5-300 Weatherby Mag 300 Ultra Mag 7.65 Arg Mauser   | 90880                                     | 90507<br>90942<br>90545<br>90508  |                                |                                     | 91989*                              | 90718                                     |                |                                  |   | 90822   | 90136   | 90520                                    | 90203                                    | 90249  |   |  |  |
| 808 Winchester S 800 Win Short Mag 800 Savage 800/06 S 838/06 800 Win Mag 800 H & H 6.5-300 Weatherby Mag 800 Weatherby Mag 800 Ultra Mag 7.65 Arg Mauser   | 90880                                     | 90942<br>90545<br>90508<br>90539  |                                |                                     | 91989*                              | 90718                                     |                |                                  |   | 90823   |   | 90528                                    | 90211                                    | 91383  |   |  |  |
| 800 Win Short Mag<br>800 Savage<br>80/06<br>80/06<br>800 Win Mag<br>800 H & H<br>8.5–300 Weatherby Mag<br>800 Weatherby Mag<br>800 Ultra Mag<br>7.65 Arg Mauser   | 90880                                     | 90942<br>90545<br>90508<br>90539  |                                |                                     |                                     |   | 90695          | 90959                            | 90480   | 91990<br>90823  | 90139   | 90519<br>90519                           | 90202<br>90202                           | 91991<br>90231                                       |   |  |  |
| 80/06 S<br>838/06 S<br>800 Win Mag S<br>800 H & H<br>6.5–300 Weatherby Mag S<br>800 Weatherby Mag S<br>800 Ultra Mag S<br>7.65 Arg Mauser   |   | 90508<br>90539  |                                |                                     |                                     | 90185                                     |                | 91019                            | 90480   | 90331   | 90034   | 90522                                    | 90205                                    | 90484  |   |  |  |
| 338/06<br>300 Win Mag S<br>300 H & H<br>6.5–300 Weatherby Mag<br>300 Weatherby Mag<br>300 Ultra Mag<br>7.65 Arg Mauser  |   | 90539   |                                |                                     |                                     |   |                |                                  |   | 90844   | 90138   | 90519                                    | 90202                                    | 91356  |   |  |  |
| 800 Win Mag S<br>800 H & H<br>6.5–300 Weatherby Mag<br>800 Weatherby Mag<br>800 Ultra Mag<br>7.65 Arg Mauser  | 90881                                     |   |                                |                                     |                                     | 90715                                     | 90736          | 90960                            | 90480   | 90824   | 90140   | 90519                                    | 90202                                    | 90291  |   |  |  |
| 800 H & H<br>6.5–300 Weatherby Mag<br>800 Weatherby Mag<br>800 Ultra Mag<br>7.65 Arg Mauser   | 90881                                     |   |                                |                                     | 90987                               |   |                |                                  |   | 90849   |   | 90519                                    | 90202                                    |  |   |  |  |
| 5.5–300 Weatherby Mag<br>300 Weatherby Mag<br>300 Ultra Mag<br>7.65 Arg Mauser  |   | 90560   | 91954                          |                                     |                                     | 90722                                     | 90738          | 90961                            | 90480   | 90825   | 90142   | 90522                                    | 90205                                    | 90441  |   |  |  |
| 800 Weatherby Mag<br>800 Ultra Mag<br>7.65 Arg Mauser   |   |   |                                |                                     | 00000                               | 90726                                     |                | 91020                            |   | 90970   | 90141   | 90522                                    | 90205                                    | 90407  |   |  |  |
| 000 Ultra Mag<br>7.65 Arg Mauser  |   | 00550   |                                |                                     | 90983                               | 90727                                     |                | 91020                            |   | 91493   | 90143   | 90522<br>90522                           | 90205<br>90205                           | 90408  |   |  |  |
| 7.65 Arg Mauser   |   | 90558<br>90698  |                                |                                     |                                     | 90727                                     |                | 91020                            |   | 90845<br>90970  | 90143   | 90522                                    | 90205                                    | 91366  |   |  |  |
|   |   | 90732   |                                |                                     |                                     |   |                |                                  |   | 90846   | 90134   | 90520                                    | 90203                                    | 91382  |   |  |  |
|   |   | 90733   |                                |                                     |                                     |   |                |                                  |   | 90847   | 90115   | 90519                                    | 90202                                    | 91368  |   |  |  |
| 5-303   |   | 90793   |                                |                                     |                                     |   |                |                                  |   | 91491   |   | 90522                                    | 90205                                    |  |   |  |  |
| 03 British  | 90882                                     | 90547   |                                |                                     |                                     | 90717                                     |                | 91021                            |   | 90826   | 90144   | 90522                                    | 90205                                    | 90325  |   |  |  |
| 2-40  |   |   |                                | 90758                               |                                     |   |                |                                  |   | 91239   |   | 90520                                    | 90203                                    | 91376  |   |  |  |
| 2 Winchester Special  |   |   |                                | 90757                               |                                     |   |                |                                  |   | 91227   | 90491   | 90520                                    | 90203                                    |  |   |  |  |
| 25 WSM  |   |   |                                | 90923                               |                                     |   |                |                                  |   | 91255   | 90222   | 90522                                    | 90205                                    | 91344  |   |  |  |
| 3x56 R Hungarian  | 20000                                     | 00544   |                                | 90925                               |                                     | 00740                                     |                | 04.000                           |   | 91273   | 90589   | 90003                                    | 90200                                    | 00047  |   |  |  |
| Bx57 Mauser S<br>Bmm Lebel  | 90883                                     | 90544   |                                | 90768                               |                                     | 90719                                     |                | 91022                            |   | 90848<br>91272  | 90148   | 90519<br>91497                           | 90202<br>N/A                             | 90347  |   |  |  |
| 11 Swiss  |   |   |                                | 90700                               | 90411*                              |   |                |                                  |   | 91272   |   | 90525                                    | 90208                                    |  |   |  |  |
| 338 Winchester  |   | 90546   |                                |                                     | 00.11                               | 90721                                     |                | 91023                            |   | 90849   | 90149   | 90522                                    | 90205                                    | 90391  |   |  |  |
| 338 Ultra Mag   |   |   |                                | 90927                               |                                     |   |                |                                  |   | 91257   | 91314   | 90522                                    | 90205                                    |  |   |  |  |
| 348 Winchester  |   | 90760   |                                |                                     |                                     |   |                |                                  |   | 90857   | 91304   | 90525                                    | 90208                                    | 91360  |   |  |  |
| 350 Rem Mag   |   |   |                                | 90776                               |                                     |   |                |                                  |   | 91233   | 91315   | 90522                                    | 90205                                    | 91377  |   |  |  |
| 358 Winchester  |   | 90797   |                                |                                     |                                     | 00700                                     |                | 04.004                           |   | 90904   | 91318   | 90519                                    | 90202                                    | 00400  |   |  |  |
| 35 Remington<br>35 Whelen   |   | 90543   |                                | 90752                               |                                     | 90728                                     |                | 91024                            |   | 90828<br>91241  | 90150<br>90972                                    | 90519<br>90519                           | 90202                                    | 90403<br>91355                                       |   |  |  |
| 9.3 x 62 Mauser   |   | 90654   |                                | 90752                               |                                     |   |                |                                  |   | 90610   | 91299   | 90519                                    | 90202                                    | 90614  |   |  |  |
| 375 Ruger   |   | 90090   |                                |                                     |                                     |   |                |                                  |   | 90609   | 91285   | 90522                                    | 90205                                    | 90613  |   |  |  |
| EW 7mm PRC  |   | 00000   |                                |                                     | 92004                               |   |                |                                  |   | 92006   | 01100   | 90522                                    | 90205                                    | 92005  |   |  |  |
| 300 PRC   |   |   |                                |                                     | 90224                               |   |                |                                  |   | 91494   |   | 90522                                    | 90205                                    |  |   |  |  |
| 375 H & H   |   | 90559   |                                |                                     |                                     | 90729                                     |                | 91025                            |   | 90850   | 90164   | 90522                                    | 90205                                    | 90395  |   |  |  |
| 116 Remington   |   | 90805   |                                |                                     |                                     |   |                |                                  |   | 90906   |   | 90522                                    | 90205                                    |  |   |  |  |
| 13 Mauser   |   |   |                                | 90806                               |                                     |   |                |                                  |   |   |   | 91498                                    | N/A                                      |  |   |  |  |
| 13 Spanish  |   | 00751   | +                              | 90765                               |                                     |   |                |                                  |   | 00401   | 001.10  | 91497                                    | N/A                                      | 91367  |   |  |  |
| 32-20<br>38-40  | _   | 90751 <sup>‡</sup><br>90761 <sup>‡</sup>                                      | + THESE D                      | IIES DO NOT IN                      | CLUDE FACTOR                        | T CKIMP DIE                               |                |                                  |   | 90421<br>90852  | 90146   | 90523<br>90001                           | 90206<br>90272                           | 91365<br>91351                                       |   |  |  |
|   |   | 90762‡  |                                |                                     |                                     |   |                |                                  |   | 90853   | 90994   | 90520                                    | 90203                                    | 91379  |   |  |  |
| SE<br>375 Winchester  | TS<br>WITH                                | 90563‡  |                                |                                     |                                     |   |                |                                  |   | 90905   | 90165   | 90520                                    | 90203                                    | 91371  |   |  |  |
|   | WDER                                      | 90564‡  |                                |                                     |                                     |   |                |                                  |   | 90854   | 90168   | 90001                                    | 90272                                    | 91369  |   |  |  |
|   | NDING                                     | 90562‡  |                                |                                     |                                     |   |                |                                  |   | 90855   | 90151   | 90528                                    |  | 91372  |   |  |  |
| 15/70 Government  | DIE                                       | 90561‡  | 45/70 DIES                     | S DO NOT WOR                        | K ON HORNADY                        | LEVERevoluti                              | on CASES       |                                  |   | 90856   | 90152   | 90525                                    | 90208                                    | 90458  |   |  |  |
| 15/70 LEVERevolution WILL LOAD 45/70 GOVERNMENT. ORDER FACTORY CRIMP DIE 90586 AND LOAD DATA C  | CB2556                                    |   |                                |                                     | 91988* -                            | 61.98                                     |                |                                  |   | 91639   | 91287   | 90525                                    | 90208                                    | 11/2   |   |  |  |
| 150 Bushmaster  |   |   |                                |                                     | 90182                               |   |                |                                  |   | 91167   | 91325   | 90519                                    | 90202                                    | N/A  |   |  |  |
| 50 Beowulf  |   | 00070   |                                |                                     | 90296* -                            |   |                |                                  |   | 91738   | 91292   | 90529                                    | 90212                                    | 01501  |   |  |  |
| 350 Legend<br>158 Socom   |   | 90078   |                                |                                     | 90409                               |   |                |                                  |   | 90445<br>90815  | 91567<br>91290                                    | 90521<br>90519                           | 90204<br>90202                           | 91561<br>N/A   |   |  |  |
| 158 Win Mag   |   | 90800‡  |                                |                                     | 50405                               |   |                |                                  |   | 90969   | 90971   | 90522                                    | 90205                                    | 91345  |   |  |  |
| 338 Lapua   |   |   |                                | 90353                               | LA                                  | RGE SEI                                   |                | READE                            |   |   |   | sic Cast                                 |  |  | 90745   | 90635                                    |  |
| 16 Barrett* shellholder not inci  | LUDED                                     |   |                                |                                     |                                     |   |                | 2 to 11/4 PTER BUS               |   |   |   | 90903                                    |  |  |   |  | 9025                                   |
| 104 Jeffery   |   |   |                                |                                     |                                     |   | Use these die  | s in competit                    | or's press  |   |   |  |  |  | 91985   |  |  |
| 577/450 Martini-Henry*  |   |   |                                |                                     |                                     | L   |                |                                  |   |   |   | 91500                                    |  |  |   |  | 9090                                   |
| 577 Snider*<br>50 BMG shellholder not included  |   |   |                                |                                     |                                     |   |                |                                  |   |   |   | 91500<br>90903 <sup>4</sup>              |  |  |   | 90747                                    | 9092                                   |

www.leeprecision.com

### RELOADING PRESS OVERVIEW



### **RELOADING PRESSES** LAST A LIFETIME.

so buying on what your budget allows makes the most sense. You'll never regret buying a value priced press - you'll always have a need for a simple press for miscellaneous jobs.

All Lee Presses feature compound toggle linkages. This permits full length sizing the largest magnum cases with ease. Many feature built-in spent primer catchers, tough powder paint coating and detailed instructions. Under normal use, all our presses will last a lifetime.

For those that simply want the best, you can't beat the "Classic Cast."



are de-primed and sized, charged, then bullets seated. This die changing process is sped up by the Lee Breech Lock Quick-Change System. Rifle case reloading is best accomplished on a single station press. For a beginner, a single station press in a kit is the best value.

Compatible cartridges

Rounds per hour

All cartridges up to 460 Weatherby Mag

50

**Breech Lock Challenger Press** #90588 pg 19 \$117.00

**Breech Lock Reloader Press** # 90045 pg. 18

Compatible cartridges

\$ 67.98

Rounds per hour

All cartridges up to 50 BMG Accepts both \(^{7}\mathbb{8} - 14\) 50 Threaded Dies and Large Series Threaded Dies 1½-12

Classic Cast Press # 90998 \$190.00

see more information on page 20

TURRET PRESSES offer single station simplicity with near progressive speed. No need to unscrew dies; the turret advances to the next station automatically. Four pulls of the lever and you have a completed round. Perfect for moderate production of handgun ammunition. Deactivate the Auto-Index feature and you can batch reload the longest rifle cartridges. Twist and exchange the turret, snap in a new shell holder, and you're ready to load your next cartridge.

Compatible cartridges

per hour

250

All cartridges up to 460 Weatherby Mag

#90064 pg 21 \$220.00


**Classic Turret Press** 

Value Turret Press #90932 pg. 22 \$160.00

### **SINGLE STAGE PRESS KIT OPTIONS**

IF YOU ARE JUST GETTING STARTED, YOU'LL SAVE EVEN MORE MONEY BY PURCHASING A KIT

**Breech Lock Hand Press Kit** #90180 page 18 **\$94.00** 



Breech Lock Challenger Kit #90030 page 19 \$259.00



#90050 page 19 \$229.00



Bench Prime Press Kit #91628 page 19 \$268.00



Turret Press Kit #90<mark>304 page 21</mark>

\$380.00

Value **Turret Press** Kit

#90928 page 22 \$260.00



### PRESS SELCTION OVERVIEW



**2023 PRO 1000** Time proven design updated with rock solid tool head with Smart Lock quick change bushings. Improved tray fed primer feed, simple, reliable and safe with any brand primer. Simplified automatic indexing with no adjustments required. Add a bullet and pull the lever; other operations are automatic.

Includes 4 tube automatic case feeder, automatic primer feed, automatic powder measure and automatic indexing. No other press has all these features at this affordable price. The perfect press for the active shooter on a budget. Select this press if you have a good supply of quality fired cases.

| Compatible cartridges                           | Rounds<br>per hour |
|---|--------------------|
| 32 S&W Long to<br>223 Remington                 | 500+               |
| Pro 1000<br>Full description pg 23<br>\$ 350.00 |                    |

PRO 4000 This 4 station progressive press allows reloading mixed range brass with ease. The user operated primer feed allows smooth uninterrupted operation when loading mixed and imperfect cases. The fourth station allows installation of the Lee Factory crimp die. This die "irons out" the defects and damage found in mixed range brass. If you have select components to reload, the extra station can be fitted with the New Inline bullet feeder. Push the primer trigger, pull the lever, and you're loading. Easy cartridge changeover with only die adjustments required.

| Compatible cartridges   | Rounds<br>per hour |
|---|--------------------|
| 32 S&W Long to 30/06  | 500+               |
| Pro 4000 Kit<br>Full description pg 24 \$ 355.00              |                    |
| Auto Breech Lock Pro<br>Press only # 90900 pg 24<br>\$ 210.00 |                    |

SIX PACK PRO Among the heaviest progressive presses made. Stroke and powerful linkage easily reload longer rifle cartridges. Six stations allow for any brand of die use; extra operations like post sizing are done in the standard progression. Works great with inline bullet feeders; extra stations allow seating and crimping to be separate operations. Simple, dependable automatic indexing never requires adjustment. New primer feed device built-in; takes just seconds to change primer size. Primer feed tray eliminates the danger and time-consuming process of filling primer tubes one at a time. With the Lee system—just dump, shake and go. Only one tool required to change shell plates (it's included!) Included loader orund catcher and attach bracket features storage positions for shell plate and die wrenches. Universal case feeder included with a gatling style magazine that works with most handgun cases and shorter rifle cases.

| Compatible cartridges                               |                         | Rounds<br>per hour |
|---|-------------------------|--------------------|
| 32 S&W Long to Large M                              | agnum Rifles            | 500+               |
| Six Pack Pro Kit<br>Full description pg 25          | \$ 500.00               |                    |
| Pro 6000 Six Pack Reloa<br>Press only # 91823 pg 25 | ding Press<br>\$ 350.00 |                    |

www.leeprecision.com

2023CATALOG\_11823.indd 17 1/20/23 2:45 PM

### RELOADING PRESS OVERVIEW





### INCLUDES THE BREECH LOCK SYSTEM

An outstanding value. Exclusive balanced lever that can't drop down to pinch your fingers. Unlimited hand clearance that only a "C" frame can offer. Works equally well with the right or left hand. Even if you already own a press, an extra press is always useful for decapping, bullet seating or bullet sizing.

90045 67.98

### Change dies instantly with a twist of the wrist



### **Breech Lock Bushings**

Breech lock bushings fit all Lee Breech Lock presses. Allows instant, accurate die changes.

90600 2-Pk. 16.00



### SPLINE DRIVE BUSHINGS

Breech lock quick change bushing with integral lock collar provides unmatched precision and convenience when adjusting dies. Split clamp positively locks die into position.

90063 2-Pk 16.00





90095 4-Pk 27.00



COLOR CODED FOR QUICK, POSITIVE DIE SELECTION

### **Lee Breech Lock Hand Press**

Features the Lee Breech Lock System. A full size hand held reloading press, yet the tool weighs only 13/4 pounds and costs so little you will want more than one. No matter how much equipment you have, it's great to have a portable hand press. No time is wasted mounting a tool to a work bench. When you're finished—just pack it away.





**BREECH LOCK RAM PRIME** 

#### **Breech Lock Hand Press Kit**

THE PERFECT PORTABLE RELOADING PRESS KIT

Begin reloading at once. No wasted time mounting to a work bench. Pack it all in the box when finished. Great for apartment dwellers or loading at the range. Dies sold separately.

KIT INCLUDES BREECH LOCK HAND PRESS RAM PRIME POWDER FUNNEL CASE SIZING LUBE 90180 94.00



### New, improved **Breech Lock Ram Prime**

Start priming in seconds, nothing to adjust.

Includes small and large priming assemblies, no tiny parts to fumble with or lose.

Effortless priming in the tightest pockets.

Uses any brand press shell holder.

Safe with all brands of primers.

Works in any Lee Breech Lock press or adapter.

91612 21.98





### **Lee Ram Prime**

Primes on the press up-stroke for a more sensitive feel. Includes small and large priming assemblies; no tiny parts to fumble or lose. Fits all brands of presses. Use on old school presses, where you need to thread in dies.

90106 21 98

### CHALLENGER PRESS | PRESS KITS



ReLOADING23

### **Breech Lock Challenger Press**

The "O" frame press by design is the strongest and most popular style press by far. Large opening and long stroke handles the largest belted magnums with ease. The primer catcher is positive and routes the spent primers directly to the trash can. Priming is a dream with the LEE LEVER PRIME SYSTEM. Best of all, it includes the BREECH LOCK QUICK CHANGE DIE SYSTEM. Change dies instantly with a twist of the wrist; you'll never have to re-adjust your die.

Other features include all steel linkage with adjustable length lever. This same press would cost you more than twice as much from other manufacturers, and that's without all of the Challenger's features.

90588 117.00



LARGE & SMALL SAFETY PRIME 90997 30.00

SEE DESCRIPTION PAGE 22



#### BENCH PRIME PRESS KIT

Featuring all the components of the 50th Anniversary Kit, but we've replaced the SAFETY PRIME with the AUTO BENCH PRIME, along with 3 of the most popular Auto-Prime shell holders which work with over 60 different cartridges. This kit is ideal for those who want to prime on the workbench. If you purchase all components separately—it's a \$294.78 value.

91628 268.00



### **50IH ANNIVERSARY KIT**

A COMPLETE POWDER HANDLING SYSTEM with the most convenient and repeatable PERFECT POWDER MEASURE, plus the LEE SAFETY SCALE, the most sensitive, safest of all powder scales. Fill your cases with the POWDER FUNNEL.

Case Preparation tools include the LEE VALUE TRIM case trimmer to trim on your reloading press (order cartridge specific trim die separately on pg. 28), and a CUTTER & LOCK STUD to trim your cases. (Order cartridge specific case length gauge separately on pg. 28–29). The LEE CHAMFER TOOL chamfers the inside and outside of the case mouth, and a tube of premium SIZING LUBE is also included. A small and large PRIMER POCKET CLEANING TOOL completes the case preparation package.

But that's not all! You get the large and small SAFETY PRIME. Prime with push button convenience and is safe with all brands of primers. Never touch the primer from box to the case.

Purchased separately \$268.86 value 90050 229.00



### BREECH LOCK CHALLENGER KIT

**Features the same components** as the 50th Anniversary Kit, but we have replaced the Safety Prime with the New Auto-Prime and a set of three of the most popular Auto-Prime shell holders. This kit is for those who prefer to prime off the press.

If purchased separately-a \$282.78 value.

90030 259.00

www.leeprecision.com

HAVE AN OLD SCHOOL PRESS AND THREAD
DIES INTO REMOVABLE, THREADED ADAPTER?
MODERNIZE YOUR PRESS WITH THE
BREECH LOCK SYSTEM

90512 1½-12 **16.00** 90094 1½-12 **17.00** 



PRESS NOW INCLUDES
BREECH LOCK ADAPTER

Gives you the ability to quick change dies or remove the adapter to load the mammoth 50 BMG

BAKED POWDER FINISH AND ALL STEEL LINKAGE MAKE THE LEE CLASSIC CAST PRESS THE MOST ATTRACTIVE AND DURABLE PRESS MADE

### RIGID CAST IRON FRAME, CASTAND MACHINED WITH PRIDE IN THE USA

LEE CLASSIC CAST PRESS 90998 250.00

The industry's largest opening, and longest stroke—handle adjusts to provide least travel of any press.

Largest ram, 11/8" diameter, supported by over 12 square inches of ram bearing surface.

Spent primer disposal direct to trash can with attached tube.

Powerful compound linkage with positive travel stop prevents press toggle or "cam over."

Rigid cast iron construction in a classic
"O" design for maximum strength.

Baked powder coating is durable and
makes a handsome addition to any reloading bench.

Large, flat cored base with 3 mounting holes, mounts solid to any bench.

Automatic primer arms with bottom of stroke priming for best feel. Includes both large and small priming arms. No more fumbling with tiny guides and springs when changing primer size.







CHANGES EASILY FOR LEFT-HANDED USE.





Shown on optional Bench Plate. Order #90251

Designed to work with both standard %-14 and large series  $1\frac{1}{4}-12$  dies. Included Breech Lock adapter to accept standard %-14 dies. Change dies instantly with a quick twist of the wrist.

Two-piece ram allows installation of the mammoth 50 BMG shell holder or the shell holder insert for standard press shell holders. Shell holder insert can be rotated to allow primer installation on the right or left side.



### **50 BMG Loading Block**

Block dimensions 9" x 8"
High impact, chemical resistant plastic
Holds 72 cases, can also be used to
store % - 14 die sets

Continuous flange surrounds tray for easy lifting.

90632 15.00



1½-12 to 1¼-12 Die Adapter Bushing Use the Lee 50 BMG and other 1¼ series dies in competitor's 50 BMG large presses. 91697 12.00

## 50 BMG PRESS KIT

### AT LAST, AN AFFORDABLE WAY TO RELOAD THE MONSTER 50BMG

KIT INCLUDES EVERYTHING YOU NEED TO START RELOADING THE  $50\,$ 

LEE CLASSIC CAST PRESS · 50 BMG 3-DIE SET SHELL HOLDER · RAM PRIME TOOL · AND TUBE OF CASE SIZING LUBE





### LARGE SERIES RELOADING DIES

1<sup>1</sup>/<sub>4</sub>-12 Thread Series Factory Crimp Dies 50.00

90953 50 BMG 90745 338 Lapua 91985 404 Jeffery

1½-12 Thread Series Collet Dies 130.00

90747 50 BMG 90635 338 Lapua

1<sup>1</sup>/<sub>4</sub>-12 Thread Series 130.00

90902 577/450 Martini-Henry \*

90929 577 Snider \* 90252 416 Barrett \*

90515 50 BMG
Shellholder not include

\*These dies do not include load data



50 BMG 3-Die Set 1<sup>1</sup>/<sub>4</sub>-12 Thread 90515 **170.00** 



### THE WORLD'S MOST POPULAR TURRET PRESS

### **Lee Classic Turret Press**

The sturdy iron base shows its Classic Cast roots. The long stroke allows rifle cases over three inches long to be loaded using the automatic index. Deactivate the Auto-Index and cases over 4 inches can be loaded. The rigid cast iron frame supports the ram with over 12 square inches of area. The industry's largest ram is drilled completely through to dispose primers in an attached clear PVC tube. Every primer is caught — guaranteed.

Instant change turrets are the same as the famous Lee Turret Press. The Classic Turret uses the Lee Lever Prime System · LPS and the optional Lee Safety Prime tool makes priming on the press a delight. If you like to own the best, then treat yourself to the Lee Classic Turret. The finest reloading system made.

LEE CLASSIC TURRET PRESS 90064 220.00



### **Lee Safety Prime**

Makes priming on the press a delight. Never touch the primers from box to shell. Primer flip tray features a CAD designed flipping surface that instantly rights the primers. Change primer size in seconds. Primers are dispensed with a satisfying click of the primer feed trigger. 90997 30.00







**GET AN ADDITIONAL** TURRET FOR YOUR LEE PRESSES **EXTRA TURRET. 4 HOLE** 90269 15.00

# A MACHINE

This press has all the features of the awardwinning Turret Press with the quality touches that make this the finest, most convenient press to own. **The Classic Turret features** the solid steel linkage of the Lee Classic Cast. Your first stroke of the hardwood gripped lever will convince you this is one solid, silky smooth press!



SPENT PRIMERS COLLECTED AND DROPPED INTO FLEXIBLE PLASTIC TUBE FOR EASY EMPTYING.

### CLASSIC TURRET PRESS KIT

THIS KIT AND A SET OF LEE DIES IS EVERYTHING YOU NEED TO BEGIN RELOADING PISTOL AMMO. The Classic Turret Press is fast and convenient when

loading handgun cartridges, with rates in excess of 250 rounds per hour possible.

The kit includes the Auto-Drum powder measure and powder measure riser, perfect for all handgun and rifle cartridges. Large and Small Safety Prime are included making on press priming a delight! Instant Change Turret makes changing calibers a snap. Deactivate the auto-index, and batch load the longest and largest rifle cartridges.

Complementing your press kit are the case conditioning tools to prepare your brass for loading. Includes Cutter, Lock Stud, Chamfer Tool, small and large Primer Pocket Cleaner, and a tube of Lee case sizing lube. Complete it with the cartridge specific Case Length Gauge. Verify your loads with the included Lee Safety powder scale.

Completing the kit is Modern Reloading Second Edition, 2021 revision with all new load data covering over 170 cartridges with more than 38,000 loads. 90304 380.00

NOTE Rifle reloaders require SHORT or LONG CHARGING DIE | see page 33



www.leeprecision.com

### VALUE TURRET PRESS | KIT | SAFETY PRIME





### **VALUE TURRET PRESS**

EQUIPPED WITH THE LEE LEVER PRIME SYSTEM TM

Proven design with compound leverage. No spring in this turret design. The turret is locked into a solid steel ring with big rifle bolt type lugs. Exclusive design puts the lugs on the circumference so there can be no tipping. The linkage is so powerful that the largest magnum cases are sized with ease. Effort required is so small that the usual heavy bench is not essential. The Lee Turret Press has built-in primer disposal tube and a comfortable roller handle. Even if you do not need all of these features, why pay more for anything less?

Power and strength to spare, plus unequalled convenience. The Lee Turret Press is suitable for loading all rifle and pistol cases, but really shines when loading large quantities of handgun ammunition. This is the most convenient press made. Only a true progressive press is faster. Includes the LEE LEVER PRIME SYSTEM with large and small primer arms. Works with the Lee Safety Prime.

4 HOLE TURRET PRESS w/Auto Index

90932

160.00

### Lee Safety Prime

Makes priming on the press a delight. Never touch the primers from box to shell. Primer flip tray features a CAD designed flipping surface that instantly rights the primers. Change primer size in seconds. Primers are dispensed with a satisfying click of the primer feed trigger.

90997 30.00



POWDER MEASURE RISER FOR SAFETY PRIME 90041 See pg. 33



22



GET AN ADDITIONAL TURRET FOR YOUR LEE PRESSES EXTRA TURRET, 4 HOLE

90269 15.00

### **Lee Value Turret Press Kit**

The Value Turret Press, along with the Auto-Drum Powder Measure, produces top quality pistol ammo in a hurry.

A finished round with a few pulls of the lever. Disconnect the Auto-Index and it's large enough to handle monster belted magnum rifle cases. When it's time to change calibers, simply lock in a new turret and begin reloading in seconds. In addition to the Turret Press and Auto Drum Powder Measure, the kit includes the Lee Safety Scale, unmatched for sensitivity, a primer pocket cleaner, cutter and lock stud to trim the cases and a chamfer tool to deburr cases after trimming. Complete the case conditioning tools with the cartridge specific Case Length Gauge (see page 28).

A set of Lee Dies is all that is required to complete this reloading outfit. And all of this at a price that will allow you to pay for your investment in a matter of hours.

VALUETURRET PRESS KIT 90928 260.00

NOTE Rifle reloaders require SHORT or LONG CHARGING DIE  $\parallel$  see pg 33



2023CATALOG\_11823.indd 22 1/20/23 2:45 PM



NTRODUCED IN 1984 AS THE WORLD'S FIRST AFFORDABLE PROGRESSIVE PRESS. Place a bullet and pull the lever; all other operations are automatic. Load singly or progressively, feeds powder and primers only if case is present.

Rock solid tool head with smart lock quick change bushings. Cartridge changeover in seconds. Automatic primer feed simple and reliable; safe with any brand

or size of primer.



Shown with optional Reloading Stand. Order #90688

| 32 S&W LONG AND 32 H&R MAG                                | 90639 |
|---|-------|
| 380 AUTO  | 90641 |
| 38 SPECIAL AND 357 MAGNUM                                 | 90636 |
| 38 AUTO AND 38 SUPER                                      | 90035 |
| 9MM LUGER   | 90640 |
| 40 S&W  | 90682 |
| 44 SPECIAL AND 44 MAGNUM                                  | 90634 |
| 45 ACP  | 90638 |
| 45 COLT   | 90643 |
| 223 INCLUDES SHORT CHARGING DIE. NOT AVAILABLE IN CARBIDE | 90633 |

### **LEE PRO 1000**

COMPLETE, READY TO RELOAD

350.00

### PRO1000 POSITIVE INDEX SHELL PLATES 20.00

Built-in primer disposal tube

| PRODUCT<br>NO. | PLATE | CARTRIDGES   |
|----------------|-------|--|
| 90651          | 18    | 38 SPECIAL, 357 MAG, ETC.                                  |
| 90652          | 2L    | 45 ACP, 45 GAP, ETC.                                       |
| 90664          | 3L    | 45 WINCHESTER MAGNUM                                       |
| 90653          | 48    | 222, 223, 300 ACC BLACKOUT<br>380 AUTO                     |
| 91833          | 4AS   | 32 S&W LONG, 32 H&R MAGNUM                                 |
| 90976          | 6S    | 32/20, 25/20   |
| 90655          | 78    | 30 M1 CARBINE, 32 AUTO                                     |
| 90656          | 9L    | 41 MAGNUM  |
| 90657          | 11L   | 44 SPECIAL, 44 MAGNUM, 45 COLT                             |
| 90666          | 12L   | 7.62X39, PPC, 220 RUSSIAN                                  |
| 90665          | 13L   | 45 AUTO RIM  |
| 90065          | 14L   | 38/40, 44/40, 45 COLT, 460 S&W                             |
| 90669          | 19    | 40 S&W, 10 MM AUTO, 9MM LUGER,<br>38 SUPER, 38 AUTO, 41 AE |

BULLET FEED KIT
COMPLETE FOR ONE BULLET DIAMETER AND RANGE OF
LENGTH. TO CONVERT TO ANOTHER CALIBER OR BULLET

| 90893 9mm through .365 diameter up to .46 long 90886<br>90894 9mm through .365 diameter .46 to .60 long 90887<br>90895 9mm through .365 diameter .60 to .75 long 90886<br>90896 40 cal through .44 cal up to .65 long 90886<br>90897 40 cal through .44 cal .65 to .80 long 90890 |   | 48.00                                     | AT AND FEED DIE   | 17.98  |
|---|---|---|---|--|
| 90893 9mm through .365 diameter up to .46 long 90886<br>90894 9mm through .365 diameter .46 to .60 long 90887<br>90895 9mm through .365 diameter .60 to .75 long 90886<br>90896 40 cal through .44 cal up to .65 long 90886<br>90897 40 cal through .44 cal .65 to .80 long 90890 | ı | FEED KITS<br>COMPLETE                     | DESCRIPTION   | FEED DIE<br>AND FINGERS                            |
|   |   | 90893<br>90894<br>90895<br>90896<br>90897 | 9mm through .365 diameter up to .46 long<br>9mm through .365 diameter .46 to .60 long<br>9mm through .365 diameter .60 to .75 long<br>40 cal through .44 cal up to .65 long<br>40 cal through .44 cal .65 to .80 long | 90885<br>90886<br>90887<br>90888<br>90889<br>90890 |

#### Multi-Tube Adapter for Bullet Feed Kit

Four tube magazine keeps Lee Bullet Feeder fed with a continuous supply of bullets. Each tube holds approx. 25 bullets. Quickly and easily installed. Includes large and small adapters, four large and small feed tubes and cylinder, plate assembly.

90280 29.00

ACCESSORIES FOR PRO 1000 · PRO 4000 · SIX PACK PRO

#### UNIVERSAL **CASE FEED MAGAZINE**

90242 35.00

Automates case feeding process. Cartridge compatibility listing on leeprecision.com

### EXTRA CASE FEEDER TUBES

7 Pk. 90661 12.98



PRIMER TRAY 2-PK 90606 9.00

### CASE COLLATOR

Fill all four tubes in just 10 seconds. Works with handgun, .380 to 45 Colt.



www.leeprecision.com



ACCESSORY CASE COLLATOR 90667 14.98

### PR04000 KIT

ECOND-GENERATION progressive press priced less than many premium single station presses, the lowest priced four-station progressive available. It is also the easiest to use progressive press ever made. Everything included to begin reloading nothing else to buy.

All the features of the Pro 1000 with an added fourth station to allow factory crimping and post sizing.

Features a fixed tool head with guickchange bushings. The Safety Prime is safe with all brands of primers and makes on press priming fast and dependable. The ideal press for loading well used or mixed range brass. So easy to change you're going to enjoy using this press for simple case preparation, like depriming before tumble cleaning. Deactivate the auto index and it is the handiest single station press ever made.

### **LEE PRO 4000 KIT**

ADJUST YOUR DIES AND BEGIN RELOADING

355.00

INCLUDES STORAGE RACK FOR TOOLS, AND HEX WRENCH FOR SHELL PLATE CHANGEOVER. OTHERS CHARGE NEARLY \$30 FOR THIS FEATURE. ERGONOMIC WOOD GRIP ROLLER HANDLE. OTHERS CHARGE NEARLY \$50.00 FOR THIS FEATURE. BIN & BRACKET TO CATCH LOADED ROUNDS.

| 45 ACP                    | 91550 |
|---------------------------|-------|
| 9mm LUGER                 | 91555 |
| 38 SPECIAL AND 357 MAGNUM | 91557 |
| 44 SPECIAL AND 44 MAGNUM  | 91558 |
| 223 REMINGTON             | 91551 |

SHELL PLATES

PLATE CARTRIDGES

38 SPECIAL, 357 MAG, ETC.

45 WINCHESTER MAGNUM

30 M1 CARBINE, 32 AUTO

41 MAGNUM

45 AUTO RIM

500 S&W. 7.62X54R

6.8 SPC. 224 VALKYRIE

45 ACP, 45 GAP, 6,5 CREEDMOOR.

222, 223, 380 AUTO, 32 S&W LONG, 32 H&R MAG, 300 AAC BLACKOUT

44 SPECIAL, 44 MAGNUM, 45 COLT

7.62 x 39 RUSSIAN, 6.5 GRENDEL

38/40, 44/40, 45 COLT, 460 S&W

40 S&W, 10MM AUTO, 9MM LUGER, 38 SUPER, 38 AUTO, 41 AE

25.00

1

2

3

4

7

9

11

12

13

14

16

90582

90584

90630

90647

90278

90648

90414

90649

90802

90659

90944

Auto Breech Lock Pro Press Large & Small Safety Prime Auto Drum Powder Measure Shell Plate Universal Case Feeder Reloading Dies 210 30 55 25 35 46 \$442 14 27 Color Coded Smart Lock Bushings

AUTO BREECH LOCK PRO PRESS ONLY #90900 210.00

AUTOMATICALLY ADVANCES CASES UP TO 25/16" LONGER CARTRIDGES CAN BE LOADED BY MANUALLY ADVANCING.

### **AUTOMATIC UNIVERSAL CASE FEED MAGAZINE**

MODULAR CONSTRUCTION ALLOWS AS MUCH OR S LITTLE AUTOMATION AS THE OPERATOR DESIRES WITH NO ADJUSTMENTS.

CARTRIDGE CHANGEOVER IN SECONDS, INCLUDING PRIMER SIZE WITH NO ADJUSTMENTS. COLOR CODED SPLINE DRIVE QUICK CHANGE SMART LOCK BUSHINGS.

**INCLUDES LARGE AND SMALL SAFETY PRIME AND PRIMING** ARMS. ALLOWS SAFE DISPENSING OF ANY BRAND AND SIZE



Shown with optional gatling style magazine

### **INLINE BULLET FEEDER**

ALL STEEL CONSTRUCTION featuring a ball bearing escapement mechanism. Spring loaded positive ball carrier return assures reliable operation. Jacketed, cast, powder coated and copper plated bullets are reliably fed. Configurable for long and short bullet lengths. Includes bracket for the optional multi tube feed magazine. Works in any press with standard 7/8-14 threads.

Each die is caliber specific so there is nothing to change or adjust. Easy adjustment, place a case in your press and screw the Inline die in until it drops a bullet plus a half a turn, and that's it.

### SIX PACK PRO

### **ULTIMATE FLEXIBILIT** AND PROGRESSIVE SPEED

**HEAVY DUTY STEEL CONSTRUCTION, stroke and clearance** sufficient for the largest magnum rifle cases. Indexing is simple and reliable, cases fed and primed automatically with no primer brand restriction. Carrier features easy-to-set case retainers at every station. All dies securely fastened in the upper die carrier with the quick change LEE BREECH LOCK SYSTEM. Six stations gives you additional space to mount accessories. Automatic case ejector whisks completed round to the ammo bin.

SIX STATIONS ALLOW ANY BRAND OF DIE USE

SIMPLE, RELIABLE AUTOMATIC INDEXING

STROKE AND CLEARANCE SUFFICIENT FOR LARGEST MAGNUM RIFLE CASES

MASSIVE 28.4MM RAM GLIDES THROUGH 82MM OF SOLID STEEL, GIVES RAM OVER 7300 MM<sup>2</sup> OF SOLID SUPPORT

DIES SECURELY FASTENED IN UPPER DIE CARRIER WITH SMART LOCK BUSHINGS

AUTOMATIC PRIMING SYSTEM — SIMPLE, RELIABLE AND SAFE WITH ANY BRAND OR SIZE OF PRIMER

**AUTOMATIC CASE INSERTER WORKS WITH ANY CASE** 

EASY TO SET CASE RETAINERS ON EVERY STATION

AUTOMATIC CASE EJECTOR WHISKS COMPLETED ROUNDS INTO AMMO BIN

SIX PACK PRO INCLUDES SIX PACK RELOADING PRESS. · AUTO DRUM POWDER MEASURE · APPROPRIATE SHELL PLATE UNIVERSAL CASE FEED MAGAZINE & LEE BREECH LOCK DIES. AVAILABLE IN POPULAR CALIBERS \$500.00

| 223 REMINGTON    | 91899 |
|------------------|-------|
| 300 AAC BLACKOUT | 91918 |
| 6.5 CREEDMOOR    | 91919 |
| 32 S&W LONG      | 91900 |
| 9MM LUGER        | 91901 |
| 380 AUTO         | 91902 |
| 38 SPECIAL       | 91903 |
| 40 S&W           | 91904 |
| 44 SPECIAL       | 91905 |
| 45 ACP           | 91906 |
| 45 COLT          | 91907 |

SIX PACK PRO RELOADING PRESS ONLY PRODUCT NO. 91823 | \$350.00

### SIX PACK PRO SHELL PLATES 35.00

| PRODUCT |            |   |
|---------|------------|---|
| NO.     | PLATE      | CARTRIDGES  |
| 91835   | 15         | 38 SPECIAL, 357 MAG, ETC.                                   |
| 91836   | 2L         | 45 ACP, 30/06, 308, 6.5 CREEDMOOR                           |
| 91837   | 3L         | 30/30, 7x30 WATERS, 7.5 SWISS                               |
| 91838   | 45         | 222, 223, 380 ACP   |
| 91839   | 4A         | 32 S&W LONG, 32 H&R MAG., ETC                               |
| 91840   | 5L         | BELTED MAGNUMS 300 MAG<br>303 BRITISH , 30/40 KRAG, 7MM WSM |
| 91841   | 68         | 32/20, 25/20, ETC.  |
| 91842   | <b>7</b> S | 30 M1 CARBINE, 32 ACP                                       |
| 91843   | 8L         | 45/70, 348 WIN, 416 RIGBY                                   |
| 91844   | 9L         | 41 MAGNUM   |
| 91845   | 10L        | 220 SWIFT, 6.5 JAP  |
| 91846   | 11L        | 44 MAG., 44 SPL., 45 COLT                                   |
| 91847   | 12L        | 7.62X39, 6MM PPC, 22 PPC, ETC.                              |
| 91848   | 14L        | 44/40, 38/40, 45 COLT, 460 S&W                              |
| 91849   | 155        | 5.7 X 28 FN   |
| 91850   | 16L        | 500 S&W, 7.62 X 54R   |
| 91851   | 195        | 9MM LUGER, 40 S&W, 38 SUPER, ETC.                           |
| 91852   | 19L        | 10MM AUTO   |
| 91853   | 20         | 22 HORNET   |
| 91854   | 21L        | 6.8 REM SPC   |
|         |            |   |

BUSHINGS

91933 4-PK **27.00** 

Purchase extras for quick magazine setup



INLINE BULLET FEED KIT BULLET INLINE DIE ONLY TYPICAL CALIBER DIAMETER RANGE \$50.00 \$70.00 91998 **22 CAL** 22 Hornet to 222 Rem Mag .220 - .22592010 24 CAL .238 - .24592025 6mm to 243 92026 92000 **26 CAL** 6.5 Creedmoor & similar .250 - .27392012 91999 30 CAL 30 M1 to 30/06 .300 - .32092011 91995 35 CAL 380 Auto to 357 Mag .312 - .36092007 40 CAL 91996 40 S&W .390 - .40692008 91997 45 CAL 45 ACP to 45 Colt .395 - .46092009

INLINE BULLET FEED KIT

Includes Inline die and appropriate multi tube feed magazine

25

g

ŀ٢

е

е

d

### APP | DELUXE APP KIT

### WORK SMARTER, NOT HARDER

### **AUTOMATIC PROCESSING PRESS**

OTHING MAKES RELOADING MORE ENJOYABLE than clean and properly processed and prepared brass. The APP series takes the drudgery out of case preparation.

This is the first choice for the bullet caster or progressive high volume reloader. Size bullets, swage primer pockets, size and deprime cases at lightning speed. The APP is a frameless design giving you nearly unlimited visibility and hand clearance. The powerful compound toggle linkage operates with ease. The compact footprint mounts easily on any bench or table top with no lever under swing. Counter balanced lever prevents the handle from falling and pinching a finger. Integral single tube case and bullet feeder makes the APP the fastest single station press made. Accepts standard  $\frac{7}{6}$ –14 dies and shell holders of any manufacture.

### **APP Press**

INCLUDES PRESS, CASE/BULLET FEEDER, SHELL HOLDER ADAPTER AND CASE/BULLET FEED TUBE BOTTLE ADAPTER

90933 140.00

FOR AUTOMATIC CASE SIZING AND DEPRIMING BE SURE TO ORDER X-PRESS SHELL HOLDER FOR YOUR CARTRIDGE



### DELUXE AUTOMATIC PROCESSING PRESS KIT

IVES YOU THE SAME PRIMING CONVENIENCE found only on expensive progressive reloading presses.

We started with the basic APP, added the Roller Handle, Universal Case Feed Magazine and the APP Deprime kit. Then we fitted the tool with the Patented automatic primer feed system. There is no priming system made that is as fast, effortless, or uniform as the APP primer.

Cases and primers are automatically fed. Primers are seated uniformly without "feel" or adjustments required. Safe with any brand or size of primer.

Change primer size in seconds. Simply twist out the priming chamber and swap out the pin and primer guide. No shell holders required!

When you're finished priming — simply twist out the priming tool and replace with the supplied shell holder adapter. Then you can use all the APP accessories available to Bulge Bust or Primer Pocket Swage.

### Deluxe APP Kit

INCLUDES PRESS, ROLLER HANDLE, PRIMING SYSTEM, APP DEPRIME KIT, UNIVERSAL CASE FEED MAGAZINE AND BOTTLE ADAPTER

91898 190,00



26

www.leeprecision.com

2023CATALOG\_11823.indd 26 1/20/23 2:45 PM

### APP PROCESSING ACCESSORIES

### OPTIONAL CASE COLLATOR

#90667 pg 23 Fills all four tubes in just 10 seconds. Works with handgun, .380 to 45 Colt.



### **APP DEPRIME KIT**

World's fastest, most convenient deprimer. Universal, no shell holder required. 91855 26.00

> UNIVERSAL CASE **FEED MAGAZINE**

90242 35.00

Automates case feeding process. Most handgun and short rifle, like the 223.



ROLLER HANDLE **UPDATE KIT** 91629 31.00

### BREECH LOCK BULLET SIZING KITS



**BREECH LOCK BULLET SIZING KIT** 

Uses inexpensive bullet sizer and punch, see page 35 for listing.

91532 20.00

FOR THE ULTIMATE IN CONVENIENCE, CONSIDER

### **INLINE BULLET SIZER MAGAZINE FILLER KIT**

The kit includes a complete set of the bullet feed magazines and a special adapter.

When the magazine is full, simply transfer it to the

### **LEE INLINE BULLET FEED DIE**

and never touch the bullet again!

### INLINE BULLET SIZER MAGAZINE FILLER KIT

92019 (see page 35)

**APP PRESS OPERATION** requires tube retainer and cap.

**TUBE RETAINER AND CAP** 92022 10.00







### X-PRESS SHELLHOLDER

The APP gets its speedy operation in part, by the use of a new shell holder. We call it the X-Press Shell Holder. it allows the case to pass through the shell holder after the operations are performed.

|  | APP<br>SHELL<br>HOLDER | PRODUCT<br>NO. | CARTRIDGES                       |
|--|------------------------|----------------|----------------------------------|
|  | #2                     | 91535          | 45 ACP, 308 Win., 30-06          |
|  | #4                     | 91537          | 223 Rem, 5.56 NATO, 300 Blackout |
|  | #19                    | 91552          | 40 S&W, 9mm Luger                |

X-PRESS F O R APP OMATIC PROCESSING PRESS 4.98 ea

X-PRESS SHELLHOLDER SET CONTAINS 1 · 2 · 3 · 4 · 5 7.8.9.10.11.19

91622 45.00

Scan QR code for complete listing https://leeprecision.com/X-PRESS-Shell-Holders-Category,

### **BULGE BUSTER KIT**













#### 10/40 45 ACP Lee APP Bulge Buster Kit

with appropriate Lee Factory Crimp Die restores free function of rimless cases that have low base bulges. Low base bulges usually occur from

chambers that do not fully support the cartridge or cases resized in carbide dies from manufacturers other than Lee.

APP BULGE BUSTER KIT

91572

30.00

FACTORY CRIMP DIE

### PRIMER POCKET SWAGE KIT

DESIGNED EXCLUSIVELY FOR THE LEE APP PRESS

Now you can swage primer pockets as fast as you can operate the press lever



The fastest, most convenient way to swage primer pockets. Will swage large and small primer pockets on any case up to  $2\frac{1}{2}$  inches (30/06) long.

No shell holders required!

Large and small swage punches included.

Exclusive, case guided swage push die works without adjustment. It automatically aligns your case mouth to receive the push rod and six guide fingers center the primer pocket to the swage punch. Nothing to adjust—simply install and begin swaging.

Swage adjustment is a finger adjustable knob, no tools required.

APP PRIME IT 90237 60.00




www.leeprecision.com





## QUICK TRIM PR CASE LENGTH GAUGE

### FOR SAFETY SAKE, TRIM YOUR CASES



The simplest way to check the case and trim to the correct safe length is with a Lee Case Trimmer.

#### Lee Case Trimmer

After a case has been loaded a few times, it will stretch beyond maximum length and must be trimmed. There is no better system to check and trim cases than with the Lee Case Length Gauge and cutter. You don't need an expensive caliper to set length and never waste even a single case setting up with the cut and try system common to all other brands. The piloted cutter assures the case mouths are absolutely square and true to the case neck. Best of all, the fixed length design assures it will never go out of adjustment.

The Cutter and Lock Stud works for all calibers. You will need only one. The Case Length Gauge (Pilot) and Shell Holder must be ordered as Case Length Gauge and Shell Holder for each caliber — see chart listing at right and opposite page. You can trim cases by hand, use an electric drill.

90110

**CUTTER and LOCK STUD** Fits cases up to .468" in diameter. 6.98

LARGE CUTTER & LOCK STUD 90401

9.98



**CUTTER only with BALL GRIP** 90275 9.98

THREADED LARGE CUTTER AND LOCK STUD 90468 9.98 Large cutter with 8-32 thread shank for use on popular powered case preparation centers.





### 3 Jaw Chuck Trimming Kit

91720

31.00



Hex shank fits popular, low-cost cordless screwdrivers

Universal 3 jaw chuck fits 25 ACP to largest belted magnums without changing shellholders.

Includes cutter and 3 jaw chuck Order cartridge specific case length

Trim brass to the correct length while chamfering the case mouth

### **Lee Quick Trim Case Trimmer**

The Deluxe Quick Trim Case Trimmer quickly and precisely trims your brass to the correct length at the same time it chamfers the inside and outside of the case mouth. No calipers, measurement or adjustment required, Simply install the appropriate quick trim die in your press and start trimming. A click adjustable stop allows trim

length adjustment in .001 of an inch increments. Allows the user to shorten case to a uniform shorter length than standard, reducing trimming frequency. Includes snap on chip catcher. Order appropriate Quick Trim die for each cartridge listed on chart on upper right and opposite page. 90437 30.00





| i | * Ackley Improved Cases use standard parent cartridge Case Length Gauge | QUICK<br>TRIM DIE<br>16.00 | Ltd. Prod.<br>QUICK<br>TRIM DIE<br>20.00 | LENGTH<br>GAUGE<br>8.00 | Ltd. Prod.<br>CASE LENGTH<br>GAUGE<br>13.00 |
|---|---|----------------------------|--|-------------------------|---|
|   | 17 Fireball   |                            | 91347                                    |                         |   |
|   | 17 Hornet   | 90611                      |  |                         |   |
|   | 17 Rem  |                            | 90435                                    |                         |   |
|   | 204 Ruger   | 90439                      |  |                         |   |
|   | 218 Bee   | 00.00                      | 91350                                    |                         | 90225                                       |
|   | 219 Zipper  |                            |  |                         | 91305                                       |
|   | 22 Hornet   | 90354                      |  | 90111                   | 01000                                       |
|   | *22/250   | 90284                      |  | 90116                   |   |
|   | 220 Swift   |                            | 91370                                    | 90118                   |   |
|   | 221 Fireball  |                            | 91364                                    | 90112                   |   |
|   | 222 Rem Mag   |                            |  |                         | 91283                                       |
|   | 222 Remington   | 90340                      |  | 90113                   | 01200                                       |
|   | *223 Remington  | 90179                      |  | 90114                   |   |
|   | 223 WSSM  | 001.0                      | 91358                                    | 0011.                   | 90673                                       |
|   | 224 Valkyrie  | 90868                      | 01000                                    | 91339                   | 000.0                                       |
|   | 225 Winchester  | 00000                      |  | 01000                   | 91280                                       |
|   | 240 Weatherby Magnum  |                            |  |                         | 91281                                       |
|   | 243 Winchester  | 90320                      |  | 90119                   | 01201                                       |
|   | 243 WSSM  | 00020                      | 91341                                    | 00110                   | 90389                                       |
|   | 6MM GT  |                            | 91979                                    |                         | 00000                                       |
|   | 25 WSSM   |                            | 010.0                                    |                         | 90221                                       |
|   | 25-20 Winchester  |                            | 91385                                    |                         | 90121                                       |
|   | 25-35 Winchester  |                            | 01000                                    |                         | 91306                                       |
|   | 25-06 Remington   | 90334                      |  | 90124                   | 01000                                       |
|   | 25-20 Winchester  | 00001                      |  | OULL .                  | 90121                                       |
|   | 250 Savage (250/3000)   |                            | 91374                                    |                         | 90122                                       |
|   | *257 Roberts  |                            | 91357                                    | 90123                   |   |
|   | 257 Weatherby Magnum  |                            | 91342                                    | 91298                   |   |
|   | 26 Nosler   |                            | 90637                                    |                         | 91307                                       |
|   | 260 Remington   | 90399                      |  | 90993                   |   |
|   | 264 Winchester Magnum   |                            |  |                         | 91308                                       |
|   | 270 Weatherby Magnum  |                            |  |                         | 91279                                       |
|   | 270 Winchester  | 90229                      |  | 90128                   |   |
|   | 6.8 Western   |                            | 91761                                    |                         |   |
|   | 270 Winchester Short Mag  | 90393                      |  | 90117                   |   |
|   | 28 Nosler   |                            |  |                         | 91284                                       |
|   | 280 Rem ACK Improved  |                            | 91375                                    |                         | 91295                                       |
|   | 6.5 Weatherby RPM   |                            | 91771                                    |                         |   |
|   | 284 Winchester  |                            | 91362                                    |                         | 90129                                       |
|   | 30-378 Weatherby Magnum   |                            |  |                         | 91309                                       |
|   | 30-40 Krag  |                            | 91354                                    | 90137                   |   |
|   | 30/06 Springfield   | 90291                      |  | 90140                   |   |
|   | *30/30 Winchester   | 90249                      |  | 90136                   |   |
|   | 300 AAC Blackout  | 90689                      |  | 90443                   |   |
|   | 300 H&H   |                            | 90407                                    |                         |   |
|   | 300 H&H or Ultra Magnum   |                            |  | 90141                   |   |
|   | 300 HAM'R   |                            | 91609                                    |                         |   |
|   | 300 RSAUM   |                            | 91343                                    |                         |   |
|   | 300 Remington Ultra Magnum  |                            | 91366                                    |                         |   |
|   | 300 Savage  |                            | 91356                                    | 90138                   |   |
|   | 300 Weatherby Magnum  |                            | 90408                                    | 90143                   |   |
|   | 200 Wineheater Magnum   | 00441                      |  | 00142                   |   |

90441

90484

90325

Chamfer Tool Must be used after Case Trimming. Unique design cuts fast without chatter. One turn does the job. Chamfers and deburrs inside and outside of case necks. Can also be used to remove the crimp from  $primer\ pockets\ of\ military\ brass.\ Works\ better\ than\ tools\ costing\ several$ times as much. 90109 3.98



90142

Primer Pocket Cleaner Double ended design cleans both large and small primer pockets. Primers can be fully seated for better accuracy and safety. Costs so little and works so well, no reloader can afford to be without one. 90101 2.98

Case Conditioning Kit Includes cutter and lock stud, chamfer tool and primer pocket cleaner.

12.98

300 Winchester Magnum

303 British

300 Winchester Short Mag

Decapper & Base Easily removes crimped in primers from military cases. Guaranteed unbreakable.

22 Caliber 90103 30 Caliber 90102 7.98







shank snaps in to cordless screwdriver or drill (sold separately) Includes power Quick-Trim adapter, chip catcher and deluxe cutter assembly. To complete your trimming setup, order cartridge specific Quick Trim die from chart above and opposite page. 90670

28.00



www.leeprecision.com

2023CATALOG 11823.indd 28 1/20/23 2:45 PM

### TRIMMING TOOL CHART | BULGE BUSTER KIT

|  |                            |   | -                               |   |  |
|--|----------------------------|---|---------------------------------|---|--|
|  | QUICK<br>TRIM DIE<br>16.00 | Ltd. Prod.<br>QUICK<br>TRIM DIE<br><b>20.00</b> | CASE<br>LENGTH<br>GAUGE<br>8.00 | Ltd. Prod.<br>CASE LENGTH<br>GAUGE<br>13.00 |  |
| 303 Savage                             |                            | 91383   |                                 |   |  |
| 308 Marlin                             |                            | 91352   |                                 | 04000                                       |  |
| 308 Norma Magnum<br>308 Winchester     | 90231                      |   | 90139                           | 91289                                       |  |
| 32 Winchester Special                  | 30231                      |   | 30133                           | 90491                                       |  |
| 32-40 Winchester                       |                            | 91376   |                                 | 91312                                       |  |
| 325 WSM                                |                            | 91344   |                                 | 90222                                       |  |
| 327 Federal Magnum                     |                            |   |                                 | 91303<br>91313                              |  |
| 338 Edge<br>338 Federal                |                            |   |                                 | 90218                                       |  |
| 338 Lapua                              |                            |   | 90462                           | 00210                                       |  |
| 338 Remington Ultra Magnum             |                            |   |                                 | 91314                                       |  |
| 338 Winchester Magnum                  | 90391                      | 01010   | 90149                           | 04000                                       |  |
| 340 Weatherby Magnum<br>348 Winchester |                            | 91346<br>91360                                  |                                 | 91223<br>91304                              |  |
| 35 Remington                           | 90403                      | 91360   | 90150                           | 91304                                       |  |
| 35 Whelen                              | 00.00                      | 91355   | 90972                           |   |  |
| 350 Legend                             |                            | 91561   | 91567                           |   |  |
| 350 Remington Magnum                   |                            | 91377   |                                 | 91315                                       |  |
| 358 Winchester<br>358 WSSM             |                            | 91378   |                                 | 91318                                       |  |
| 375 H&H                                | 90395                      | 91376   |                                 |   |  |
| 375 H&H or Ultra Mag                   |                            |   | 90164                           |   |  |
| 375 Ruger                              |                            | 90613   |                                 | 91285                                       |  |
| 7mm PRC                                |                            | 92005   |                                 | 92031                                       |  |
| 375 Socom<br>375 Super Magnum          |                            |   |                                 | 91319<br>91320                              |  |
| 375 Winchester                         |                            | 91371   |                                 | 90165                                       |  |
| 40-65 Winchester                       |                            | 91384   |                                 | 91323                                       |  |
| 416 Rigby                              |                            |   |                                 | 91324                                       |  |
| 416 Ruger                              |                            | 01007   |                                 | 91294                                       |  |
| 43 Spanish<br>444 Marlin               |                            | 91367<br>91372                                  | 90151                           |   |  |
| 45/70 Government                       | 90458                      | 010.1   | 90152                           |   |  |
| 45/70 LEVERevolution                   |                            |   |                                 | 91287                                       |  |
| 450 Bushmaster                         |                            |   | 91325                           |   |  |
| 450 Marlin<br>458 Lott                 |                            |   |                                 | 90554<br>91326                              |  |
| 458 Socom                              |                            |   | 91290                           | 31320                                       |  |
| 458 Winchester Magnum                  |                            | 91345   |                                 | 90971                                       |  |
| 50 Beowulf requires large cutter       |                            |   | 91292                           |   |  |
| 50 BMG REQUIRES LARGE CUTTER           |                            |   | 90010<br>\$26.00                |   |  |
| 6.5 Carcano                            |                            | 91353   | 20.00                           | 90043                                       |  |
| 6.5 Creedmoor                          | 90812                      |   | 90814                           |   |  |
| 8.6 BLACKOUT                           |                            | 91978   | 0.4.500                         | 92001                                       |  |
| 6.5 PRC<br>6MM ARC                     | 91665                      | 91348   | 91533                           | 92030                                       |  |
| 6.5 Grendel                            | 90763                      |   | 91278                           | 32030                                       |  |
| 6.5 x 284                              |                            | 91361   |                                 |   |  |
| 6.5 x 284 / 6.5 Rem Mag                |                            |   | 90223                           |   |  |
| 6.5 x 55 Swedish Mauser                | 90337                      |   | 90126                           | 01100                                       |  |
| 6.5-06<br>6.5 X 47 Lapua               |                            | 91381   |                                 | 91108<br>91330                              |  |
| 6.5 X 50 Japanese                      |                            | 31001   |                                 | 91331                                       |  |
| 6.5 X 57 Mauser                        |                            |   |                                 | 91291                                       |  |
| 6.8 SPC                                | 90397                      |   | 90189                           | 0.1.0.                                      |  |
| 6MM BR NOR/RE                          | 00650                      |   | 01240                           | 91296                                       |  |
| 6mm Creedmoor<br>6MM PPC               | 90658                      | 91349   | 91340                           | 91282                                       |  |
| 6mm Remington (244 Rem.)               |                            | 90434   | 90120                           | -1202                                       |  |
| 6MM TCU                                |                            |   |                                 | 91286                                       |  |
| 6MM XC                                 |                            |   |                                 | 91328                                       |  |
| 6X45MM                                 |                            |   |                                 | 91329                                       |  |

| * Ackley Improved Cases<br>use standard parent cartridge<br>Case Length Gauge | QUICK<br>TRIM DIE<br>16.00 | Ltd. Prod.<br>QUICK<br>TRIM DIE<br>20.00 | CASE<br>LENGTH<br>GAUGE<br>8.00 | Ltd. Prod.<br>CASE LENGTH<br>GAUGE<br>13.00 |
|---|----------------------------|--|---------------------------------|---|
| 6X47 Lapua  |                            | 91380                                    |                                 | 91302                                       |
| 7 x 57 Mauser   | 90489                      |  | 90130                           |   |
| 7 x 64 Brenneke   |                            |  | 90236                           |   |
| 7-30 Waters   |                            |  |                                 | 91335                                       |
| 7.35 Carcano  | 00410                      |  | 00100                           | 91293                                       |
| 7.5 x 55 Swiss (Schmidt-Rubin)<br>7.5 x 54 MAS                                | 90419                      | 91359                                    | 90132                           | 90051                                       |
| 7.62 x 39 Russian   | 90345                      | 01000                                    | 90133                           | 00001                                       |
| 7.62 x 54 Russian   | 90342                      |  | 90147                           |   |
| 7.62 x 40 Wilson Tactical   |                            |  |                                 | 91300                                       |
| 7.65 x 53 Mauser (Belgian-Arg)  |                            | 91382                                    |                                 | 90134                                       |
| 7.7 x 58 Japanese Arisaka   |                            | 91368                                    | 90115                           |   |
| *7mm Express/280 Rem.   | 90412                      |  | 90166                           |   |
| 7mm Remington Magnum 7MM RUM  | 90297                      |  | 90131                           | 91333                                       |
| 7MM STW   |                            |  |                                 | 91333                                       |
| 7MM Weatherby Magnum  |                            |  |                                 | 91334                                       |
| 7mm Winchester Short Mag  |                            |  | 90314                           |   |
| 7mm/08  | 90343                      |  | 90167                           |   |
| 7X64 Brenneke   |                            | 91386                                    |                                 |   |
| 8x56 Aust-Hung Mannlicher   | 90347                      |  | 90148                           | 90589                                       |
| 8x57 Mauser<br>8MM Remington Magnum   | 90347                      |  | 90148                           | 91337                                       |
| 8X68MM S  |                            |  |                                 | 91288                                       |
| 9.3x62 Mauser   | 90614                      |  | 91299                           |   |
| 9.3x74 R  |                            |  |                                 | 91301                                       |
| 22 TCM  |                            | 91373                                    | 00010                           |   |
| 5.7 x 28 FN<br>30 M1 Carbine  | 90365                      | 91363                                    | 90219<br>90135                  |   |
| 9mm Makarov   | 90385                      |  | 90135                           | 90684                                       |
| 9mm Luger   | 90032                      |  | 90153                           | 00004                                       |
| 357 SIG   |                            |  |                                 | 91317                                       |
| 38 Super  |                            |  |                                 | 90217                                       |
| 380 Auto  | 90025                      |  | 90155                           | 0400=                                       |
| 30 Herrett<br>7.62X25 Tokarev   |                            |  | 91336                           | 91297                                       |
| 32 ACP  |                            |  | 31330                           | 91338                                       |
| 32 S&W  |                            |  |                                 | 91311                                       |
| 32 Smith & Wesson Long  |                            |  |                                 | 90169                                       |
| 32 H&R Magnum   |                            |  |                                 | 91310                                       |
| 32-20 Winchester  |                            | 91365                                    | 90146                           | 00150                                       |
| 38 S&W<br>38 Special  | 90085                      |  | 90157                           | 90156                                       |
| 38-40 Winchester  | 50055                      | 91351                                    | 30137                           | 91322                                       |
| 38-55 Winchester  |                            | 91379                                    | 90994                           |   |
| 357 Magnum  | 90088                      |  | 90158                           |   |
| 357 MAX   |                            |  | 00151                           | 91316                                       |
| 40 S&W  | 90033<br>90193             |  | 90154                           |   |
| 10mm Auto<br>38 Short Colt  | 90193                      |  | 90127                           | 91321                                       |
| 41 Magnum   |                            | 90226                                    | 90159                           | 31011                                       |
| 44-40 Winchester  |                            | 91369                                    | 90168                           |   |
| 44 Special  | 90107                      |  | 90160                           |   |
| 44 Magnum   | 90125                      |  | 90161                           |   |
| 45 ACP  | 90073                      |  | 90162                           |   |
| 45 Colt   | 90145                      |  | 90163                           | 04.45-                                      |
| 45 GAP  |                            | 00174                                    | 00000                           | 91473                                       |
| 454 Casull<br>460 S&W   |                            | 90174                                    | 90992                           | 90220                                       |
| 480 Ruger REQUIRES LARGE CUTTER   |                            |  |                                 | 90220                                       |
| 50 Action Express   |                            |  |                                 | 91327                                       |
| 500 S&W REQUIRES LARGE CUTTER   | 90178                      |  | 90019                           |   |
|   |                            |  |                                 |   |

UNLISTED RIFLE QUICK TRIM DIES can be custom made. leeprecision.com/custom-rifle-quick-trim-die-body.html

Ram Swage

UNLISTED CASE LENGTH GAUGES can be custom made. leeprecision.com/custom-case-length-gauge.html

### Primer pocket swager

works so fast that you'll want to swage all the range brass you pick-up. Works on all single stage presses with 7/8"-14 threads and accepts universal press shell holders. Features spring assisted case extraction, and an

all steel case guide, ensures cases will be positively centered on push rod. Shell holderless design, allows you to swage any small or large primer pocket, without swapping to a different size shell-holder.

91617 50.00



### LEE BULGE BUSTER .

Assure your mixed brass is bulge free with the Bulge Buster Kit and appropriate Lee Carbide Factory Crimp Die. This push through die adapter will quickly remove the annoying bulge rings that shell holder constrained dies simply can't reach. The Bulge Buster Kit includes extension sleeve, push through punch, catch container and complete instructions. And it's fast — you can reprocess your cases as quickly as you can handle them. CARBIDE FACTORY CRIMP DIES, SEE PAGE 7

Bulge Buster Kit 90487 19.98





through Punch

Extension Sleeve

WITH THE LEE FACTORY CRIMP DIE, THE BULGE BUSTER WILL REPAIR ALL THESE RIMLESS CASES

www.leeprecision.com

29

2023CATALOG\_11823.indd 29 1/20/23 2:45 PM



# OFFPRESS PRIMING

### **AUTO BENCH PRIME**

THE EASIEST,
MOST CONVENIENT
BENCH MOUNTED
PRIMING TOOL EVER.

Symmetrical design allows effortless right or left hand operation.

Comfortable lever with just the right amount of mechanical advantage effortlessly seats even the most difficult primers with just finger pressure. Perfect mechanical advantage to feel the primer seating completely home into the primer pocket.

INCLUDES PRIMING ASSEMBLIES FOR LARGE AND SMALL PRIMERS. CHANGE PRIMER SIZE OR SHELL HOLDER IN SECONDS.



Tray's built-in flipping surface quickly rights and orients primers—go from box to priming in seconds. Patented elevator pin safely isolates a single primer for priming. Allows most primer brands and types to be safely tray fed. The convenient hinged cover allows you to individually feed primers if restricted by the primer manufacturer.

INCLUDES THE PATENTED FOLDING TRAY — GO FROM BOX TO PRIMING IN SECONDS. NO NEED FOR A HEAVY BENCH; FITS THE LEE BENCH PLATE OR MOUNT TO A BOARD FOR A PORTABLE SETUP.

### New, removeable tray patente



Unfold tray and place on top of box of 100 primers.

30



Flip tray over to deposit the primers.



Shake tray to upright all the primers. Fold and close cover.



Slide the flow control to LOCK.



|                 | (JO)   |
|-----------------|--|
| SHELL<br>HOLDER | FOR<br>PRIMING TOOL<br>SHELL HOLDERS<br>4.98 |
| #1              | 90201  |
| #2              | 90202  |
| #3              | 90203  |
| #4              | 90204  |
| #5              | 90205  |
| #6              | 90206  |
| #7              | 90207  |
| #8              | 90208  |
| #9              | 90209  |
| #10             | 90210  |
| #11             | 90211  |
| #12             | 90212  |
| #13             | 90213  |
| #14             | 90272  |
| #15             | 90017  |
| #16             | 90200  |
| #17             | N/A  |
| #18             | N/A  |
| #19             | 90023  |
| #20             | 90020  |
| #21             | 90031  |
| #24             | 91495  |
| #25             | 91496  |
|                 |  |

2023CATALOG\_11823.indd 30 1/20/23 2:46 PM

### AUTO-PRIME | SHELLHOLDERS



### **Auto-Prime**

The original and world's most popular hand-held priming tool. Fast and economical hand held priming with unmatched feel and accuracy. Comes packed in a convenient storage box to keep your tool and shellholders together.

90230 31.98





Packed in a lifetime plastic box

### **Set of Priming Tool Shellholders**

Eleven of the most popular sizes fit over 115 different cartridges. Chart (below) is included with each shell holder set. Additional cartridge listings on leeprecision.com

 $#1 \cdot 2 \cdot 3 \cdot 4 \cdot 5 \cdot 7 \cdot 8 \cdot 9 \cdot 10 \cdot 11 \cdot 19$ 

PRIMING TOOL SHELL HOLDER SET 90198 28.9

with 11 Shellholders for LEE PRIMING TOOLS

AND THESE OTHER FINE TOOLS—K&M, SINCLAIR, F A PLATINUM, CPS, 21ST CENTURY

RED STORAGE BOX ONLY 90196 4.98

### Save even more! Purchase a kit!

### **Priming Tool Kit**

Includes the New Auto-Prime, and nice molded storage box. Holds everything, including a complete set of shell holders. Kit comes with 8 of the most popular priming tool shell holders; works with over 130 different cartridges—

|1|2|3|4|5|11|12|19|

Holds an additional 8 shell holders. Kit is a convenient way to keep tool and shell holders all in one spot. 90215 47,98



### **Priming Tool Storage Box**

Holds your New Auto Prime tool. With room for 18 priming tool shell holders.

90426 5.98

### ALL OFF-PRESS PRIMING TOOLS USE SPECIAL, BUT INEXPENSIVE PRIMING TOOL SHELL HOLDERS, SO THERE'S NO NEED TO ENDLESSLY SWAP PRESS SHELL HOLDERS TO PRIME.

| 4 223 (5.5<br>5 223 WS<br>2 224 Clar<br>21 224 Valle   | ington<br>ger<br>et<br>rnet<br>ge | 3<br>4<br>2<br>5 | 250 Savage<br>25/35<br>25/45 Sharps<br>257 Roberts<br>257 Weatherby<br>6mm Creedmoor | 12<br>16<br>3<br>3 | 7.62mm x 39<br>7.62x54 Russian<br>30 Herrett<br>30/30 Win. (30 WCF) | 2<br>5<br>2 | 35 Remington<br>35 Winchester<br>35 Whelen | 7       | 32 ACP<br>32 Colt N.P.   |
|--|-----------------------------------|------------------|--|--------------------|---|-------------|--|---------|--------------------------|
| 4 204 Rug 4 22 TCM 20 22 Horn 20 22 K Hor 3 22 Sava; 2 22 BR 6 218 Bee 12 22 PPC 3 219 Zip; 10 220 Swi 4 221 Fire 4 222 Ren 4 222 Ren 4 223 (5. £ 5 223 WS; 2 224 Clar 21 224 Vall         | et<br>et<br>rnet<br>ge            | 4<br>2<br>5<br>2 | 25/45 Sharps<br>257 Roberts<br>257 Weatherby   | 3                  | 30 Herrett  | 2           | 35 Whelen                                  |         |                          |
| 4 204 Rug 4 22 TCM 20 22 Horn 20 22 K Hor 3 22 Sava; 2 22 BR 6 218 Bee 12 22 PPC 3 219 Zip; 10 220 Swi 4 221 Fire 4 222 Ren 4 222 Ren 4 223 (5. £ 5 223 WS; 2 224 Clar 21 224 Vall         | et<br>et<br>rnet<br>ge            | 2<br>5<br>2      | 257 Roberts<br>257 Weatherby   | 3                  |   |             |  |         |                          |
| 4 22 TCM 20 22 Horn 20 22 K Hor 3 22 Sava 2 22 BR 6 218 Bee 12 22 PPC 3 219 Zip 10 220 Swi 4 221 Fire 4 222 Ren 4 223 (5.5. 5 223 WS: 2 224 Clar 21 224 Vall                               | et<br>rnet<br>ge                  | 5<br>2           | 257 Weatherby  |                    | 30/30 Win. (30 WCF)   | _           |  | 4       | 380 Auto                 |
| 20 22 K Hor<br>3 22 Sava;<br>2 22 BR<br>6 218 Bee<br>12 22 PPC<br>3 219 Zip;<br>10 220 Swi<br>4 221 Fire<br>4 222 Ren<br>4 222 Ren<br>4 223 (5.5<br>5 223 WS;<br>2 224 Clar<br>21 224 Vall | rnet                              | 2                |  | 2                  |   | 5           | 350 Rem. Mag.                              | 19      | 9mm LUGER                |
| 3 22 Savaţ<br>2 22 BR<br>6 218 Bee<br>12 22 PPC<br>3 219 Zipţ<br>10 220 Swi<br>4 221 Fire<br>4 222 Ren<br>4 223 (5.5<br>5 223 WS:<br>2 224 Clar<br>21 224 Vall                             | ge                                |                  | Corres Oursellers  | _                  | 300 Savage  | 3           | 356 Winchester                             |         |                          |
| 2 22 BR 6 218 Bee 12 22 PC 3 219 Zip; 10 220 Swi 4 221 Fire 4 222 Ren 4 222 Ren 4 223 (5.5; 5 223 WS; 2 224 Clar 21 224 Vall   |                                   | 2                | omm Creeamoor  | 16                 | 30/378  | 2           | 358 Winchester                             | 1       | 38 S & W                 |
| 6 218 Bee<br>12 22 PPC<br>3 219 Zipy<br>10 220 Swy<br>4 221 Fire<br>4 222 Ren<br>4 223 (5.5<br>5 223 WS:<br>2 224 Clar<br>21 224 Vall  |                                   |                  | 6.5mm Creedmoor  | 21                 | 30 Remington  | 5           | 358 Norma Magnum                           | 1       | 38 Colt N.P.             |
| 12 22 PPC<br>3 219 Zip<br>10 220 Swi<br>4 221 Fire<br>4 222 Ren<br>4 223 (5.5<br>5 223 WS:<br>2 224 Clar<br>21 224 Vall  |                                   |                  | 6.5mm 06   | 2                  | 308 Win. (7.62 NATO)  | 3           | 375 Winchester                             | 19      | 38 Super Auto            |
| 3 219 Zipp<br>10 220 Swi<br>4 221 Fire<br>4 222 Ren<br>4 223 (5.5<br>5 223 WS:<br>2 224 Valk   |                                   |                  | 6.5mm x 57   | 4                  | 300 AAC Blackout  | 5           | 375 H & H                                  | 19      | 38 ACP                   |
| 10 220 Swi<br>4 221 Fire<br>4 222 Ren<br>4 223 (5.5<br>5 223 WS;<br>2 224 Clar<br>21 224 Valk  |                                   | 3                | 6.5 x 55 Mauser  | 5                  | 30/40 Krag (30 U.S.)  | 5           | 375 Weatherby                              | 1       | 38 Short Colt            |
| 4 221 Fire 4 222 Ren 4 223 (5.5 5 223 WS 2 224 Clar  | per                               |                  | 6.5 Jap  | 2                  | 30/06 Springfield   | 5           | 375 Ultra Magnum                           | 1       | 38 Long Colt             |
| 4 222 Rem 4 222 Rem 4 223 (5.5 5 223 WS 2 224 Clar 21 224 Valle  | ift                               |                  | 6.5 Rem. Magnum  | 5                  | 300 H & H   | 5           | 375 Ruger                                  | 1       | 38 Special · 357 Mag     |
| 4 222 Rem<br>4 223 (5.5<br>5 223 WS<br>2 224 Clar<br>21 224 Valk   | eball                             |                  | 6.5 Carcano  | 5                  | 300 Weatherby   | 14          | 38/40 Win.                                 | 19      | 357 Sig                  |
| 4 223 (5.5<br>5 223 WS<br>2 224 Clar<br>21 224 Valk  | nington                           |                  | 6.5 Grendel  | 5                  | 300 Win Magnum  | 3           | 38/55 Winchester                           |         | 0                        |
| 5 223 WS<br>2 224 Clar<br>21 224 Valk  | n. Magnum                         |                  | 264 Win. Magnum  | 5                  | 300 Ultra Magnum  | 8           | 40/82 Winchester                           | 2       | 357 Auto Magnum          |
| 2 224 Clar<br>21 224 Valk  | 56mm)                             |                  | 26 Nosler  | 5                  | 300 Win S Magnum  | 5           | 416 Remington                              | 19      | 40 S&W · 10mm Auto       |
| 21 224 Valk  | SM                                |                  | 6.8 SPC  | 5                  | 308 Norma Magnum  | 25          | 416 Rigby                                  | 1       | 41 Long Colt             |
|  | rk (22/257)                       |                  | 270 Winchester   | 5                  | 303 British   | 18          | 43 Mauser                                  | 19      | 41 Action Express        |
| 10 005 W:-   | kyrie                             |                  | 270 Weatherby  | 2                  | 7.7 Japanese  | 17          | 43 Spanish                                 | 9       | 41 Magnum                |
| TO 229 MIN   | nchester                          |                  | 270 Win S Mag  | 3                  | 32 Win. Spc'l   | 14          | 44/40                                      | 11      | 44 S&W Spl · 44 Mag      |
| 2 22/250   |                                   |                  | 280 Remington  | 3                  | 32 Win. S.L.  | 11          | 444 Marlin                                 | 11      | 44 S & W Russian         |
| 2 240 Wea  | atherby                           |                  | 7mm/08   | 6                  | 32/20 (32 W.C.F.)   | 8           | 45/70 Gov't                                | 2       | 44 Auto Mag.             |
| 2 243 Win  | ۱.                                |                  | 7mm BR   | 3                  | 32/40 Winchester  | 2           | 450 Bushmaster                             | 2       | 45 Auto                  |
| 5 243 WS   | SM                                |                  | 7mm TCU  | 2                  | 8 x 57 Mauser   | 5           | 458 Win. Magnum                            | 11&14   | 45 Colt                  |
| 2 6mm Re   | mington                           |                  | 7 x 30 Waters  | 2                  | 8mm 06  | HOLDER      | PISTOL                                     |         |                          |
| 2 244 Rem  | nington                           |                  | 7 x 57mm Mauser  | 2                  | 8mm Man. Schoe.   | 15          | 5.7 x 28                                   | 14      | 45 Schofield             |
| 2 6mm Int  | t'l                               |                  | 7 x 61 Sharpe & Hart   | 5                  | 8mm Rem. Magnum   | 1           | 22 Rem. Jet                                | 11      | 454 Casull               |
| 2 6mm/28   | 34                                |                  | 7mm Rem. Magnum  | 17                 | 8mm Lebel   | 15          | 25 ACP                                     | 14      | 460 S&W                  |
| 2 6mm/06   | 3                                 |                  | 7mm Win S Mag  | 16                 | 8x56R Hungarian   | 1           | 256 Win. Magnum                            | 5       | 455 Webley               |
| 12 6 PPC   |                                   |                  | 7mm Weatherby  | 8                  | 33 Winchester   | 19          | 30 Luger                                   | 13      | 45 Auto Rim              |
| 4 6 x 47 (6  | 2 (000014)                        |                  | 7mm Ultra Mag  | 25                 | 338 Lapua   | 19          | 30 Mauser                                  | 3       | 45 Win. Magnum           |
| 2 25/284   |                                   |                  | 284 Winchester   | 5                  | 338 Win. Magnum   | 4           | 32 Short Colt                              | 5&16    | 480 Ruger                |
| 5 25/303   |                                   |                  | 7.5mm Schmidt-Rubin  |                    |   | 4           |  | 2∞70    | 400 Ruger                |
| 2 25/06  |                                   |                  |  | 5                  | 338 Ultra Magnum  |             | 32 Long Colt                               | _       | 475 Line by 196          |
| 6 25/20 V  |                                   | 7                | 30 M 1 Carbine<br>7.65x53 Arg. Mauser  | 5<br>5<br>8        | 340 Weatherby<br>348 Win.   | 4 4         | 32 S & W<br>32 S & W Long                  | 5<br>16 | 475 Linebaugh<br>500 S&W |

2023CATALOG\_11823.indd 31 1/20/23 2:46 PM

### INCLUDES THE **NEW** POWDER MEASURE BOTTLE ADAPTER

### DELUXE PERFECT **POWDER MEASURE**

#### QUALITY CONSTRUCTION

This powder measure features a high pressure die cast, diamond-machined body. The precision-machined rotor drum is cast from brass, which is naturally anti-static and spark proof.

#### **ELIMINATES CUT POWDER AND JERKY ACTION**

A soft elastomer wiper strikes off the metering chamber rather than cut the powder. You'll be surprised at how smoothly the rotor operates. More importantly, you will eniov the most uniform of charges.

### **EASY TO SET & READ MICROMETER METERING**

CHAMBER Powder charge adjustment is accomplished with a true micrometer adjustable metering chamber. The metering chamber is aluminum with a black anodized finish. Features a crisp, permanent, laser engraved scale. The brass micrometer thimble is engraved with .01cc graduations and has a releasable detent lock. With most rifle powders each click is about a 1/10 of a grain, perfect for working up a load.

#### **CHANGING POWDER IS FAST AND EASY**


Features easily removable hopper with an on/off valve so you can guickly return unused powder to its original container or switch to another type. The hopper feeds to a pre-measuring chamber allowing precise charges regardless of the powder level in the hopper, eliminates the need for an extra powder baffle.

#### QUICK CHANGE DRUMS

One of the nicest features is the ability to use the new Lee standard quick-change drums (product # 90453). These low cost drums can be preset to your favorite charge and swapped out in seconds.

**DELUXE PERFECT POWDER MEASURE** 90699

92.00



NO POWDER MEASURE, REGARDLESS OF PRICE, HAS ALL THE FEATURES OF THE LEE DELUXE POWDER MEASURE

PERFECT FOR USE WITH THE **DELUXE PERFECT POWDER MEASURE** & AUTO-DRUM



QUICK CHANGE DRUM SET features four precision molded nylon drums. Two small capacity for cases as small as the 25 ACP, adjustable to 223 size rifle cases. Large capacity drums adjustable from 223 case to cases as large as the belted magnums. The large drums include an insert to allow reduced capacity charging like the small drum. All drums are infinitely adjustable within range. No tools required for adjustment. A graduated adjustment key is included with each drum. Each key is marked with .01cc graduations, allowing easy 1/10-grain powder adjustments.

Quick Change Drum Set 90453 20.00

### **POWDER MEASURE BOTTLE ADAPTER**

POWDER MEASURE BOTTLE ADAPTER FITS ALL LEE POWDER MEASURES

Allows dispensing powder directly from the shipping container of most popular powder manufactures. Includes a crystal clear bottle that holds over a half a pound of ball powder. Works on all of these and many more

(53mm or 43mm thread) Dispensing powder directly from the bottle assures positive identification of the powder type.

Adapter is manufactured from Polypropylene - resistant to attack from all

types of powder. Now you can turn off the powder flow and store your powder in its original container with no fear of misidentifying or damage to your hopper from chemical attack. Viewing window allows monitoring powder level in use without removing bottle.

**Bottle Adapter** 

32

91586

8.00

### **Powder Measure Stand**

Heavy, powder coated steel construction

7/8" mounting hole for all popular measures

Includes 3 no slip feet

Rock solid mount improves measure consistency

Space saving freestanding design is portable and convenient.

Works with other brands of powder measures

Powder Measure Stand 90587 55.00



### Lee Safety Scale

### Safety and accuracy are the most important features

This is the only scale that can never get out of adjustment. The beam is made from a very tough phenolic, the same type material used on table and counter tops. Phenolic is tough but, like glass, it can't be bent. Even if dropped you can feel confident that if it did not break it is still accurate. Sensitive and readable to 1/20 grain.

90681 46.98

#### READ THIS if you already have a combination bullet and powder scale

Try this simple test to see how sensitive your scale really is. Cut a piece of regular writing paper or this catalog 5/16 inch square. With scale set on zero — drop the paper on the pan to see if it moves. It should read about .1 grain. Keep adding paper squares until

it does move. The total number of squares needed to move your scale is your scale's sensitivity. We have seen digital powder scales that are only sensitive to 1/2 grain (FIVE paper squares!) A Lee Safety Scale will move with the first paper.



#### Lee Powder **Measure Kit**

Fifteen uniformly graduated and proportioned powder dippers. Slide card shows the grains of powder each measure will dispense of every type of powder. Powder measures are inherently safe as they cannot get out of adjustment. That's why powder dippers continue to be the first choice of reloaders who load in small quantities.

90100 14.98

### **Powder Funnel**

A large, unbreakable funnel that fits all cases from .22 to .45 caliber. Hole in flange permits mounting to the Lee Turret Press, shelf or

90190 4.98

### INCLUDES THE **NEW** POWDER MEASURE BOTTLE ADAPTER

### The Original **Perfect Powder Measure** Almost as good as a scale! Solves problems common

to ordinary drum type measures. Gives you the confidence that your charges will be the most uniform possible.

#### Lee Perfect **Powder Measure**

Includes many of the features of the Deluxe Perfect Powder Measure, but the body is molded from an engineering grade polymer. Rotating micrometer adjustable metering chamber and elastomer wiper to prevent powder cutting. Works better than other powder measures priced four times as much. 90058 30.98

FREE STURDY STEEL MOUNTING BRACKET

INCLUDED WITH EACH MEASURE

2023CATALOG 11823.indd 32 1/20/23 2:46 PM

### CHARGE CASES WHILE EXPANDING THE CASE MOUTH

"MODERN RELOADING" AND ALL POPULAR LEE DIE SETS INCLUDE LOAD DATA

### Lee Pro Auto-Disk **Powder Measure**

Commercial reloaders or competitive shooters first choice! Elastomer wiper and polytetrafluoroethylene (PTFE) non-stick metal casting make this the smoothest operating measure. Large hopper with integral shut-off valve makes changing powder or disks super convenient. Brass thumbnuts attach the hopper to the body so you can change disks with no tools. Rubber wiper and seal prevents powder shearing and makes it more leak-resistant with fine-grain powders. Increased safety with positive pull-back lever.

The measure is attached to the die with a swivel adapter, allowing easy positioning and quick removal when changing cartridges. Included positive pull back lever reduces the chance of double charge when progressive reloading.

Lee Pro Auto-Disk Powder Measure INCLUDES ALL FOUR DISKS 90429 60.00

|  | PRO AUTO-DISK POWDER MEASURE   |
|--|--|
| CARTRIDGE RANGE                              | 9 MM TO 45 COLT  |
| USE  | IDEAL FOR HANDGUN  |
| SIMPLE SET UP                                | NOTHING TO ADJUST, NOTHING TO GET OUT OF ADJUSTMENT<br>USE LEE PUBLISHED LOAD DATA |
| CONSISTENCY                                  | EXTREMELY CONSISTENT INCREMENTAL CHARGES   |
| WIPER TO<br>PREVENT POWDER<br>SHEARING       | YES  |
| SWIVEL ADAPTER<br>FOR FAST, EASY<br>TRANSFER | YES  |
| ON/OFF VALVE                                 | YES  |

The Pro Auto-Disk comes with a complete set of four disks. Each disk has six cavities, so you get 24 cavities in all. The chart included on the rear of the instruction sheet lists the capacity of each cavity with every type of powder. If you reduce your charge 10% you can safely use this data without weighing your charge. Fixed cavities are the safest way to meter powder because they can't be misadjusted or get out of adjustment.

#### **PRO AUTO-DISK ACCESORIES**



### **Adjustable Charge Bar**

Infinitely adjustable between .28 and 1.6 cc. Lifetime nylon with solid brass, zero backlash micrometer. Easy to set.

Adjustable Charge Bar 90792 9.98

### Double Disk Kit (not pictured)

This kit raises the hopper so you can stack two disks. Not only doubles the capacity of the disks but it makes very fine adjustments possible. Most powders can be adjusted up or down .1 grain with different combinations of disks. Complete listing of combinations, 4 extra disks, screws and risers

Lee Double Disk Kit 90195 14.98

### Lee Rifle **Charging Die Kit**

Short and Long Charging Dies are included. These dies work the same as the pistol powder through expanding dies, except they do not expand the case mouth. Rifle case expansion is done in the sizing die. Can be used on 22 caliber, and up to the largest belted magnums.

**Charging Die kit** 

90995 29.00

SHORT CHARGING DIE

90668 16.98

LONG CHARGING DIE 223 REM TO 300 WIN MAG 90194 16.98

Automatic case actuated drum powder measure. Accurately and automatically dispense powder in your favorite cartridge. Two infinitely adjustable drums included. Quick Change drums will accurately and reliably drop charges from 1 to 80 grains of powder.

### INCLUDES THE **NEW** POWDER MEASURE BOTTLE ADAPTER

Case actuated; never spill a charge.

Exclusive elastomer wiper prevents powder shearing, works great with difficult metering extruded powders.

Machined body with labyrinth groove mates to precision molded nylon drums providing leak free fit with the finest powders.

Drum is actuated by a steel sector and pinion gear train.

Quick-change hopper has on/off valve Sleek modern design, all gears springs and levers inside the die cast housing.

Same swivel adapter as our famous Pro Auto-Disk powder measure. Makes moving measure fast and convenient.

#### HANDGUN AND RIFLE DRUMS INCLUDED.

**AUTO-DRUM POWDER MEASURE** 

90811 55.00

| 00011                          | 33.00   |  |  |
|--------------------------------|---------|--|--|
|                                |         | AUTO-DRUM POWDER MEASUI  | RE (F)                                     |
| CARTRIDGE RAN                  | GE      | 25 AUTO TO 300 WIN MAG   |  |
| USE                            |         | IDEAL FOR BOTH HANDGUN AND RII   | FLE  |
| ADJUSTABILIT'                  | Y       | INFINITELY ADJUSTABLE WITH INC<br>SMALL AND LARGE<br>QUICK CHANGE DRUMS  | LUDED                                      |
| CONSISTENCY                    |         | EXTREMELY CONSISTENT<br>.01 CC INCREMENTAL CHARGE<br>ADJUSTMENT  |  |
| WIPER TO PREV<br>POWDER SHEA   |         | YES  |  |
| SWIVEL ADAPT<br>FAST, EASY TRA |         | YES  |  |
| ON/OFF VALVE                   |         | YES  | 0  |
| 00000                          |         | der Measure r s between the Lee r through Expanding Rifle Charging Die and r Measure. Allows ient use of other of dies that have | 3333333333333                              |
| ŏ                              |         | between the Lee  |  |
|                                |         | Rifle Charging Die and   |  |
| - 11                           | Powde   | r Measure. Allows<br>ient use of other   | NOTE Pro Auto-Disk                         |
| 76                             |         | of dies that have  | and Auto-Drum Powder Measures must be used |
| 717                            |         | ou dajuoting out off o   | with the powder through                    |
| - 10                           |         | ovides clearance for   | expanding die supplied wi                  |
| - 11                           | the Lee | Safety Prime.  | all Lee nistol dies, or Lee                |

Powder Measure Riser 90041 9.98

> **POWDER EXPANDING DIE** pg. 8

expanding die supplied with all Lee pistol dies, or Lee Rifle Charging Dies (see left). These dies may be purchased individually. Sizes listed on page 8.

**Only Lee Dies** permit charging the case while expanding the case mouth.



www.leeprecision.com

### ELECTRIC MELTERS





### UNIOUE INFINITE **HEAT CONTROL**

A highly reliable control, mounted away from the high heat of the pot. Eliminates failures usually associated with thermostatically controlled units. Thermal feed back to the infinite control permits heater to put out full power until metal has melted.



### Lee Pro 4-20

Large diameter high capacity pot, holds approximately 20 pounds of lead. Nearly 4 inches of clearance under the spout accepts all brands of bullet molds and most sinker molds. It also includes an adjustable mold guide to quickly and accurately position any mold for pouring.

This second generation design incorporates the famous Lee patented high-efficiency design and dependable remote sensing thermostat, in a dust tight housing. Long life 700-watt tubular heating element assures quick melting and rapid recovery. Micro adjustable, flow control valve adjusts instantly with a twist of the screwdriver. Front mounted low maintenance replaceable valve spout allows instant reseating with a turn of a screwdriver.

90947 **LEE PRO 4-20** 110 Volt 120.00 **EXPORT MODEL** 90948 220 Volt 126.00



### **Magnum Melter**

Large 4" diameter pot allows easy access for the ladle caster. Same high efficiency design that has made Lee pots the most popular. Melt time is less than 20 minutes with just 700 watts. 20-lb. capacity for the longest casting session.

110 Volt 90949 **Magnum Melter** 93.00



### **Lee Precision Melter**

High speed melter with an infinite heat control for the budget caster. Easily handles 4-cavity molds. Takes less than 15 minutes to melt 4 pounds of metal. Same infinite heat control as used on the Production Pot. 500 watts AC only. Guaranteed 2 years.

PRECISION MELTER, 110V 90021 **EXPORT MODEL, 220V** 

#### 90024 74.98

### 70.98

### **LEE MOLD MALLET**

Features ash hardwood construction. Cut the sprue and release the bullets with one handy tool. Ergonomic design makes it convenient and comfortable to use with long casting sessions. Mallet is 10 inches long.

90084 10.00



### **Lee Production Pot IV**

Large, deep pot holds approximately 10 pounds of lead. Melt time is less than 20 minutes. Pour spout up front where it belongs so you can see what you're doing. Infinite heat control. Uses only 500 watts of power during heat-up and a lot less to maintain temperature. Large, stable base for safety. 4" of clearance under the spout is high enough to accept all brands of bullet molds and most sinker molds.

PRODUCTION POT IV **EXPORT MODEL** 

#### 110 VOLT 220 VOLT

#### 90009 106.98 90008

### 110.98

### **LEE INGOT MOLD**

Use to cast 1/2 and one pound ingots. Perfect for remelting and alloving, Wood handles stay cool. Aluminum mold is lightweight and rustproof.

90029 24.98

### LEE LEAD LADLE

A convenient size ladle for bullet casting. Works equally well for right and left handers. Handy for skimming and stirring metal.

90026 8.98



WARNING Melting lead and casting lead objects will expose you and others in the area to lead, which is known to the State of California to cause reproductive harm and cancer. For more information, www.P65Warnings.ca.gov. See instructions on REDUCING EXPOSURE supplied with product.

2023CATALOG\_11823.indd 34 1/20/23 2:46 PM

#### BREECH LOCK SIZING

#### **Bullet Sizer and Punch** 12.00

Compact bullet sizer made from high carbon steel. The bore is specially tapered to reduce sizing effort. Most important, taper gently and precisely reduces bullet to the correct diameter. It never damages

your powder or liquid coating by shaving.

The punch snaps into any reloading press shell holder slot. The steel punch pushes on the base of the bullet so there is no possibility of nose distortion. Plus, the nose first sizing allows gas checks to be seated and crimped in one operation.

BE SURE TO ORDER THE BREECH LOCK KIT TO SUIT YOUR NEEDS

| DIA. |       | DIA. |       | DIA. |       |
|------|-------|------|-------|------|-------|
| .224 | 91505 | .323 | 91515 | .430 | 91525 |
| .225 | 91506 | .329 | 91516 | .451 | 91526 |
| .243 | 91507 | .339 | 91517 | .452 | 91527 |
| .278 | 91508 | .356 | 91518 | .454 | 91528 |
| .284 | 91509 | .357 | 91519 | .457 | 91529 |
| .285 | 91510 | .358 | 91520 | .458 | 91591 |
| .308 | 91511 | .401 | 91521 | .459 | 91616 |
| .309 | 91512 | .410 | 91522 | .460 | 91592 |
| .311 | 91513 | .427 | 91523 | .501 | 91530 |
| .314 | 91514 | .429 | 91524 | .510 | 91531 |



**Works in any Breech Lock Press** Uses inexpensive bullet sizer


Great for the casual reloader

INCLUDES BOTTLE that holds 100

bullets. Adapter also fits most powder containers for larger capacity.

**Breech Lock Bullet Sizing Kit** 91532 20.00





### **Inline Bullet Sizer Magazine Filler Kit**

Kit contains everything you need to use the Bullet sizer and punch with the Lee Inline Bullet Feed magazine. Now you can size bullets and simultaneously fill the Lee Gatling style magazine feeder. The system works so well-once your bullet is sized you will never touch it again. Simply transfer filled magazine

to press and start loading. Includes small, medium & large magazines with matching drop tubes and supports, Breech Lock bullet sizer and special adapter. Works with .220 to .463 diameter bullets. Order bullet sizers and punches at left. Use QR code to see expanded list of sizes.

Inline Bullet Sizer Magazine Filler Kit 92019 65.00





RELOADER PRESS shown with Inline Bullet Sizer Magazine Filler Kit PRESS NOT INCLUDED





### **Classic Bullet Sizing Kit**

The kit that made nose first bullet sizing affordable for over a generation. Standard 7/8-14 threads fit most reloading presses. Bullets are pushed through nose first so no special nose punches are required. The included punch snaps into any standard press ram. Gas checks are automatically seated and crimped in place. Sized bullets captured in the provided special container. COMPLETE FOR ONE SIZE 25.98

NOTE ALL BULLETS MUST BE LUBRICATED OR POWDER COATED FOR SIZING. ORDER LEE LIQUID ALOX BELOW

Other sizes can be made on a custom basis. Scan QR code for details.

| DIA. |       | DIA. |       | DIA. |       |
|------|-------|------|-------|------|-------|
| .224 | 90049 | .329 | 90934 | .451 | 90061 |
| .225 | 90036 | .339 | 90576 | .452 | 90055 |
| .243 | 90083 | .356 | 90046 | .454 | 90056 |
| .278 | 90261 | .357 | 90047 | .457 | 90057 |
| .284 | 90170 | .358 | 90048 | .458 | 91682 |
| .285 | 90171 | .376 | 91856 | .459 | 91672 |
| .308 | 90037 | .401 | 90060 | .460 | 91829 |
| .309 | 90038 | .410 | 90052 | .501 | 90191 |
| .311 | 90039 | .427 | 90053 | .510 | 90188 |
| .314 | 90044 | .429 | 90054 |      |       |
| .323 | 90686 | 430  | 90062 |      |       |

### LUBRICATING



### **Lee Liquid Alox**

Lee Liquid Alox gives better accuracy because it eliminates leading. The lube coats the entire bullet like a thin jacket and dries to a soft, varnish-like finish that really clings. The dried coating does not degrade gunpowder. Easy to apply; eliminates the need for sizing of most cast bullets. While it works well with all cast or swaged bullets better than any other lube, it works most ecomonically with micro band bullets, which are designed for tumble lubing.


4 OZ. DISPENSER BOTTLE 90177 9.98


Enough for thousands of bullets





The bullet melts while the Lee Liquid Alox clings tenaciously to the bullet





that rub against the bore.

Gently shake bullets in an orbital motion to coat the bullets. If they do not coat completely, add a little more lube.



Spread bullets onto waxed paper and let dry overnight.



### **Universal Case Expanding Die**

Gently flares the case mouth to accept cast bullets without shaving. Works great to prevent damaging the moly and low friction coatings found on today's high performance jacketed bullets, Includes neck plugs for .22 cal through .45 cal, Works on everything from the 22 Hornet to the largest Ultra Mag. Costs so little and works so well you can't afford to be without one

90798 18.00

### **Hardness Testing Kit**

Featured product in Chapter 10 "Modern Reloading." No more wasted components shooting too soft or too hard lead. Cast and load with confidence knowing your alloy is up to the job. Quickly and precisely check hardness of your lead alloy. Exclusive conversion chart tells the maximum operating pressure of any lead alloy.

90924 99.00 INCLUDES



CALIBRATED HARDENED STEEL BALL INDENTER V" BLOCK CRADLE SNAPS INTO STANDARD PRESS RAM 20 POWER 4 LENS OPTICAL MEASURING MICROSCOPE

www.leeprecision.com

44.98

65.00

GAS CHECK TL Micro Band

DIAMETER

WEIGHT IN GRAINS

POINT SHAPE

WAD CUTTER SWC SEMIWAD CUTTER RF ROUND WITH FLAT

R 1 OGIVE RADIUS 2R 2 OGIVE RADIUS

TC TRUNCATED CONE



**LEE MOLD BLOCKS MADE FROM ALUMINUM BECAUSE OF THE EXCEPTIONAL MOLDING QUALITIES** 

**MOLD CAVITIES CNC-MACHINED** FOR UNMATCHED ROUNDNESS AND **SIZE CONTROL** 

**MOST BULLETS FROM LEE MOLDS CAN BE USED AS CAST WITHOUT** 



### **MOLD HANDLES**

Handles extra.

**DOUBLE CAVITY MOLDS** Handles and sprue plate included.

**HOLLOW BASE MOLDS** 

sprue plate included.

Precision steel mold handles fit not only the Lee Six Cavity molds and 18 Cavity Buckshot molds, but most other brands of one and two cavity molds. Priced low enough so you can have a set for every pair of blocks.

These are available in single cavity only. They have self centering

automatic core pins for the fastest possible molding. Handles and

These are made for heavy duty volume production. The mold

blocks have steel bushing and alignment pins for lasting precision. Price includes a cam operated sprue plate to elim-

inate the pounding common to ordinary molds. The sprue

plate is hard anodized and held down with wave washers

at each end. No finer mold can be purchased at any price.

SIX CAVITY COMMERCIAL QUALITY MOLDS

27.98



### **TRADITIONAL GROOVE**

This type of lubrication groove is designed for old style hard lubricants. Also works well with Lee Liquid Alox.



### MICRO BAND GROOVE FOR LIQUID ALOX #90177

The reduced friction of the micro bands allow a higher velocity with the same pressure as conventional lube grooves.

### MICRO BANDS USUALLY REQUIRE NO SIZING

The bullet shank has many shallow grooves for maximum liquid lubricant retention. A great way to make bullets in quantity with minimum time. effort and equipment. More accurate than ordinary cast bullets. The reduced friction of the micro bands gives you more velocity with less

|                          |            |             |             | R          | I F        | L E        | В          | Ш          | LL         | E T        | N          | / O                   | L D         | S             |             |
|--------------------------|------------|-------------|-------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------------------|-------------|---------------|-------------|
|                          | 22 CAL     | 6.5mm       | 270         | 7mm        |            |            |            | 30 CALIE   | ER RIFLE   |            | BEST S     | UBSONIC<br>ST RIFLING | 7.62        | X 39          | 303B        |
|                          |            | New         |             |            |            |            |            |            |            |            |            |                       |             |               |             |
| BALLISTIC<br>COEFFICIENT | .155       | .333        | .310        | .305       | .154       | .163       | .224       | .252       | .268       | .317       | .352       | .688                  | .268        | .276          | .247        |
| MOLD                     | C225-55-RF | C266-140-RF | C277-135-RF | C285-130-R | C309-113-F | C309-120-R | C309-150-F | C309-160-R | C309-170-F | C309-180-R | C309-200-R | TL309-230-5R          | C312-155-2R | CTL312-160-2R | C312-185-1R |
| DOUBLE                   | 90451      | 92032       | 90454       | 90360      | 90362      | 90364      | 90366      | 90367      | 90368      | 90369      | 90370      | 90307                 | 90385       | 90361         | 90371       |
| 6 CAVITY                 | 90459      |             |             |            |            |            |            |            |            |            |            |                       | 90741       | 90579         |             |
| LUBE &<br>SIZE           | 90036      |             | 90261       | 90171      | 90038      | 90038      | 90038      | 90038      | 90038      | 90038      | 90038      | 90038                 | 90039       | 90039         | 90039       |
| BL BULLET<br>SIZER       | 91506      | 91635       | 91508       | 91510      | 91512      | 91512      | 91512      | 91512      | 91512      | 91512      | 91512      | 91512                 | 91513       | 91513         | 91513       |

|                          | 8mm         | 8 x 56      | 338 CAL     | 35 REM      | 375 Win 38/55 |           | 4         | 45 - 70 CALIBER RIFLE |           |            |            |           |           |  |
|--------------------------|-------------|-------------|-------------|-------------|---------------|-----------|-----------|-----------------------|-----------|------------|------------|-----------|-----------|--|
|                          |             |             |             |             |               |           |           |                       |           |            |            |           |           |  |
| BALLISTIC<br>COEFFICIENT | .216        | .361        | .250        | .186        | .250          | .211      | .225      | .250                  | .250      | .278       | .443       | .220      | .283      |  |
| MOLD                     | C324-175-1R | C330-205-1R | C338-220-1R | C358-200-RF | 379-250-RF    | 457-340-F | 457-405-F | 459-405-HB            | 457-450-F | C457-500-F | 459-500-3R | 515-450-F | 515-500-F |  |
| DOUBLE                   | 90274       | 90775       | 90372       | 90449       | 90324         | 90373     | 90374     |                       | 90375     | 90376      | 90577      | 90255     | 90266     |  |
| 6 CAVITY                 |             |             |             | 90016       |               |           |           |                       |           |            |            |           |           |  |
| HOLLOW                   |             |             |             |             |               |           |           | 90268                 |           |            |            |           |           |  |
| LUBE & SIZE              | 90686       | custom      | 90576       | 90048       | custom        | 90057     | 90057     | custom                | 90057     | 90057      | custom     | custom    | custom    |  |

36

BL BULLET SIZER

91515

custom

91517

91520

custom

91529

custom

91529

91529

custom

custom

custom

### ReLOADING23

### PISTOL BULLET MOLDS

TROCHOIDAL VENTING

Unique venting on the mold face and sprue plate mating surface allows consistent and effortless fill out.





|                          |            |            | Р            | I S                         | T O  | L E         | 3 U I        | L L E      | Т          | M C           | L 🗆          | S            |            |
|--------------------------|------------|------------|--------------|-----------------------------|--|-------------|--------------|------------|------------|---------------|--------------|--------------|------------|
|                          | 32/20 · 32 | S&W LONG   | 32 COLT NP   |                             | 38 SPECIAL • 38 S & W • 38 COLT NEW POLICE • 357 MAG |             |              |            |            |               |              |              |            |
|                          |            |            |              | WORKS GREAT<br>IN 9MM LUGER |  |             |              |            |            |               |              |              |            |
| BALLISTIC<br>COEFFICIENT | .125       | .174       | .100         | .106                        | .116   | .142        | .072         | .072       | .131       | .117          | .117         | .207         | .160       |
| MOLD                     | 311-93-1R  | 311-100-2R | TL314-90-SWC | 358-105-SWC                 | 358-125-RF   | 358-140-SWC | TL358-148-WC | 358-148-WC | 358-150-1R | TL358-158-SWC | C358-158-SWC | TL358-158-2R | 358-158-RF |
| DOUBLE                   | 90300      | 90301      | 90311        | 90316                       | 90574  | 90318       | 90279        | 90312      | 90328      | 90321         | 90322        | 90388        | 90303      |
| 6 CAVITY                 | 90308      |            |              | 90315                       | 90306  | 90317       | 90294        | 90380      | 90326      | 90295         | 90327        | 90319        | 90692      |
| LUBE&SIZE                | 90039      | 90039      | 90044        | 90048                       | 90048  | 90048       | 90048        | 90048      | 90048      | 90048         | 90048        | 90048        | 90048      |
| BL BULLET<br>SIZER       | 91513      | 91513      | 91514        | 91520                       | 91520  | 91520       | 91520        | 91520      | 91520      | 91520         | 91520        | 91520        | 91520      |

|                          |             | 9MM LUGI   | ER • 38 SU | IPER AUTO    | • 380 AUT    | 0          | 9mm<br>MAKAROV | 40 S&       | ₩ • 10 MM    | M AUTO     | 41 MAGNUM   |               | 44 SPEC • 44 MAG • 44/40 |              |
|--------------------------|-------------|------------|------------|--------------|--------------|------------|----------------|-------------|--------------|------------|-------------|---------------|--------------------------|--------------|
|                          |             |            |            |              |              |            |                |             |              |            |             |               |                          |              |
| BALLISTIC<br>COEFFICIENT | .107        | .105       | .123       | .164         | .127         | .166       | .093           | .117        | .141         | .141       | .110        | .119          | .111                     | .124         |
| MOLD                     | TL356-95-RF | 356-102-1R | 356-120-TC | TL356-124-2R | TL356-124-TC | 356-125-2R | 365-95-1R      | 401-145-SWC | TL401-175-WC | 401-175-TC | 410-195-SWC | TL410-210-SWC | 429-214-SWC              | C429-240-SWC |
| DOUBLE                   | 90601       | 90305      | 90239      | 90464        | 90238        | 90309      | 90466          | 90470       | 90431        | 90256      | 90330       | 90335         | 90336                    | 90338        |
| 6 CAVITY                 | 90672       |            | 90387      | 90465        | 90402        | 90457      |                |             | 90433        | 90690      |             |               |                          | 90483        |
| LUBE&SIZE                | 90046       | 90046      | 90046      | 90046        | 90046        | 90046      | custom         | 90060       | 90060        | 90060      | 90052       | 90052         | 90054                    | 90054        |
| BL BULLET<br>SIZER       | 91518       | 91518      | 91518      | 91518        | 91518        | 91518      | custom         | 91521       | 91521        | 91521      | 91522       | 91522         | 91524                    | 91524        |

| SIZER                    |            |             |               |             |            |             |            |               |             |              |              |            |
|--------------------------|------------|-------------|---------------|-------------|------------|-------------|------------|---------------|-------------|--------------|--------------|------------|
|                          | 44 9       | SPECIAL • 4 | 4 MAGNUM •    | 44/40       |            |             | 45         | ACP · 45 AU   | ITO RIM • 4 | 5 COLT       |              |            |
|                          |            |             |               |             |            |             |            |               |             |              |              |            |
| BALLISTIC<br>COEFFICIENT | .124       | .196        | .169          | .218        | .090       | .127        | .140       | .127          | .145        | .189         | .146         | .146       |
| MOLD                     | 429-200-RF | 429-240-2R  | TL430-240-SWC | C430-310-RF | 452-160-RF | 452-200-SWC | 452-200-RF | TL452-200-SWC | 452-228-1R  | TL452-230-2R | TL452-230-TC | 452-230-TC |
| DOUBLE                   | 90285      | 90341       | 90299         | 90858       | 90570      | 90348       | 90234      | 90463         | 90351       | 90346        | 90287        | 90290      |
| 6 CAVITY                 | 90428      | 90339       | 90357         | 90227       |            | 90310       | 90697      | 90379         | 90352       | 90350        | 90286        | 90289      |
| LUBE&SIZE                | 90054      | 90054       | 90062         | 90062       | 90055      | 90055       | 90055      | 90055         | 90055       | 90055        | 90055        | 90055      |
| BL BULLET<br>SIZER       | 91524      | 91524       | 91525         | 91525       | 91527      | 91527       | 91527      | 91527         | 91527       | 91527        | 91527        | 91527      |

| SIZER                    | 91524 91524                     |            | 91020                 | 91020        | 91027     | 91 |
|--------------------------|---------------------------------|------------|-----------------------|--------------|-----------|----|
|                          | 45 ACP   45 AUTO RIM<br>45 COLT |            | 45 COLT<br>454 CASULL | 475 LINEBAUG | H 500 S&  | W  |
|                          |                                 |            |                       |              |           |    |
| BALLISTIC<br>COEFFICIENT | .136                            | .210       | .233                  | .271         | .296      |    |
| MOLD                     | 452-252-SWC                     | 452-255-RF | C452-300-RF           | 476-400-RF   | C501-440- | RF |
| DOUBLE                   | 90356                           | 90358      | 90359                 | 90241        | 90991     | L  |
| 6 CAVITY                 |                                 | 90349      | 90228                 |              |           |    |
| LUBE&SIZE                | 90055                           | 90055      | 90055                 | custom       | 90191     | _  |
| BL BULLET<br>SIZER       | 91527                           | 91527      | 91527                 | custom       | 91530     | )  |

**CUSTOM MOLDS** We can produce custom bullet molds within certain limits. The prices are the same as our standard molds, but there is a tooling and set-up charge. If interested in this service, please access design assistance sheet on www.leeprecision.com. This outlines the basic limitations of our manufacturing process.

https://leeprecision.com/files/instruct/ MoldDesignAssistance.pdf





WARNING Melting lead and casting lead objects will expose you and others in the area to lead, which is known to the State of California to cause reproductive harm and cancer. For more information, <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>.
See instructions on REDUCING EXPOSURE supplied with product.

www.leeprecision.com

### BLACK POWDER BULLET MOLDS





### **Minie Bullet Mold**

Automatic Core Pin Mold. Open mold upside down to empty. Close it and you're ready to cast the next. The core pin automatically centers in the mold. Easily cast 200 per hour. A quality mold built to last as long as your rifle. COMPLETE w/ HANDLES and AUTOMATIC CORE PIN 55.98



### **Round Ball Molds**

Have tangential cut off which eliminates the objectional nib at the sprue.

**DOUBLE CAVITY WITH HANDLES** 44.98 6-CAVITY WITHout HANDLES 65.00

| SIZE | DOUBLE | SIZE | DOUBLE | SIZE | DOUBLE                           |           | - 44   | -BA   |
|------|--------|------|--------|------|----------------------------------|-----------|--------|-------|
| .311 | 90406  | .440 | 90436  | .535 | 90456                            |           | - 70   | 180   |
| .319 | 90410  | .445 | 90438  | .562 | 90460                            |           | 100    | •     |
| .350 | 90415  | .451 | 90440  | .575 | 90461                            |           |        | 100   |
| .360 | 90418  | .454 | 90442  | .600 | 90975                            |           |        | 4.0   |
| .375 | 90420  | .457 | 90444  | SIZE | SINGLE                           |           |        |       |
| .380 | 90423  | .490 | 90448  | .690 | 90978*                           |           | 7.0    | 0.18  |
| .390 | 90424  | .495 | 90450  |      | diameter, mold<br>single cavity. |           |        |       |
| .395 | 90425  | .500 | 90452  | SIZE | 6 CAVITY                         |           |        |       |
| .433 | 90432  | .530 | 90283  | .490 | 91711 ▲                          | ▲ Handles | #90005 | 27.98 |



### **Improved Minie, Traditional Design**

as fast as Round Balls

| 45 Cal.          | .450-294M | 90467 |
|------------------|-----------|-------|
| 45 Cal. oversize | .454-298M | 90469 |
| 50 Cal.          | .500-360M | 90472 |
| 54 Cal.          | .533-410M | 90473 |
| 54 Cal. oversize | .540-415M | 90474 |
| 58 cal.          | .575-472M | 90476 |
| 58 cal. oversize | .578-478M | 90478 |

Improved design is easier to cast and load. Usually more accurate; a wider variety of sizes.



### **Modern Minie, Target Design**

| 50 Cal. | .500-354M | 90471 |
|---------|-----------|-------|

The most accurate of all Minies. Makes nice, clean holes in the target. The first choice for highest scores.



### **Original Style Minie Bullet**

| 58 Caliber | 575-500M | 90481 |
|------------|----------|-------|

An extremely popular, traditional size Minie bullet. Available in 58 caliber only. Certainly a must for authentic muzzle loading shooting.



### RIFLING · ENGRAVED · AT · LOADING

A solid bullet that loads easily even after many firings because of its unique cleaning action. Will not tumble. A perfect hunting bullet with heavy loads. Easy to cast. Shoots accurately even in greatly oversize barrels.

**DOUBLE CAVITY WITH HANDLES** 

|         | uranis | Double |
|---------|--------|--------|
| 45 Cal. | 200    | 90390  |
| 45 Cal. | 250    | 90392  |
| 50 Cal. | 250    | 90394  |
| 50 Cal. | 320    | 90396  |
| 54 Cal. | 300    | 90398  |
| 54 Cal. | 380    | 90400  |
| 58 Cal. | 440    | 90404  |



### **Combo Molds**

45 CAL 200RB with Handles 90405

Double cavity mold casts one 45 Cal. 200 R·E·A·L bullet and one .440 diameter Round Ball.

50 CAL 320RB with Handles

44.98

Double cavity mold casts one 50 Cal. 320 R·E·A·L bullet and one .490 diameter Round Ball.

### RIFLING-ENGRAVED-AT-LOADING

The driving bands are large enough to adequately engage the rifling when pushed into the muzzle, and thin enough to easily engrave. They're strong enough to withstand maximum charges without stripping or gas

**UNIQUE CLEANING ACTION** You can shoot all day without cleaning your rifle between shots! When inserted into the muzzle, tiny scraping edges are swagged forward on each driving band. These perfect fitting scrapers remove the fouling from the previous

### **EASIER, FASTER TO LOAD It's**

easy to load straight and true, easier and faster than a round ball with patch. Easily stabilized with very light charges, the R·E·A·L bullet also retains accuracy with maximum loads. Each band is generously tapered to the rear with an angle close to that of a lathe center, so as to center the bullet against the rifle bands. When pushed in, the bullet automatically centers in the bore.

MORE ACCURATE The bevel base of the R·E·A·L bullet contributes to greater accuracy. When the bullet exits the bore, the gas escapes equally around the perimeter of the base. The uniform bevel is resistant to nicks that would permit gas to escape prematurely and cause a jet effect on one side of the bullet.



### **Conical Bullet Mold** FOR BLACK POWDER **REVOLVERS**

A super accurate bullet that is easy to load straight and true. Two lube grooves prevent flash ignition and lead fouling. More energy and far greater accuracy than round balls.

44.98

| 36 Cal. 375-130-1R           | 90378 |
|------------------------------|-------|
| 44 Cal. Rem. 450-200-1R      | 90382 |
| 44 Ruger Old Army 456-220-1R | 90384 |




WARNING Melting lead and casting lead objects will expose you and others in the area to lead, which is known to the State of California to cause reproductive harm and cancer. For more information, www.P65Warnings.ca.gov. See instructions on REDUCING EXPOSURE supplied with product.

2023CATALOG 11823.indd 38 1/20/23 2:46 PM

### ReLOADING23

### SLUG & BUCKSHOT MOLDS \ LOAD-ALL II



Load slugs for less than standard trap loads. The Lee DRIVE KEY slug is loaded in standard trap hull with standard wad and conventional folded crimp. Slug loads are produced with any standard shot shell reloading press.

Lee Slug Mold features the exclusive drive key. The drive key positively rotates the slug in rifled shotgun barrels and doubles as a support rib allowing use of a standard trap wad—no need for a support wad or base filler. Sabot wad design outperforms rifled slugs in rifled slug barrels. Velocity and accuracy meet and exceed expensive factory loaded rifled slugs. Molds feature self centering automatic core pins for maximum speed and convenience. Mold is complete with sprue plate, handles and complete instructions with suggested loads.

**Shotgun Slug Mold** 12 ga. 90281 55.98 1 oz. 90282 **Shotgun Slug Mold** 7/8 oz. 55.98 12 ga.


EXCLUSIVE DRIVE KEY POSITIVELY ROTATES
THE SLUG IN RIFLED BARRELS AND ELIMINATES THE NEED FOR SUPPORT WADS OR BASE FILLERS; ASSURES POSITIVE AND SMOOTH DISCARD OF THE SABOT WAD.





GUARANTEED MORE ACCURATE than factory slugs or your money back





Precision-machined molds produce 18 linked pellets per cast.

90005 27.98

Lee 18 Cavity Buckshot Bullet Molds

WARNING Melting lead and casting lead objects will expose you and others in the area to lead, which is known to the State of California to cause reproductive harm and cancer. For more information, www.P65Warnings.ca.gov. See instructions on REDUCING EXPOSURE supplied with product.



### Lee Load-All II

Lee Load-All II shotgun shells not only look better than those loaded on machines costing hundreds of dollars, but they usually have more uniform velocity and patterns. You can load just as fast as with any other brand of loader costing up to \$200.

Twenty-four shot and powder bushings are included free. The bushings alone can cost several dollars each from other manufacturers— and they're not as accurate as those made by Lee. Only Lee supplies molded bushings.

This is a time proven tool. There are hundreds of thousands in use world wide: in nearly forty years, we have yet to see one worn out. Written two-year unconditional guarantee and a lifetime warranty.

Lee Load-All II 93.98

2023CATALOG 11823.indd 39

90011 12 GAUGE 90015 16 GAUGE 20 GAUGE 90012



### **Load-All Options**

### **Conversion To Another Gauge**

The Load-All II can be easily and economically converted to another gauge with the conversion kit. The entire die carrier is replaced so no adjustments are needed. The conversion kit includes the die carrier, steel sizer, wad guide, shell holder, load data and instructions.

**CONVERSION KIT** 29.98 12 GAUGE 90070 16 GAUGE 90071 20 GAUGE 90072

### Lee Adjustable Shot Dipper

Accurately measure lead, bismuth and steel. Telescoping cup adjustable from 7/8 to 17/8 oz. Calibrated for lead shot. Works perfect for large pellet sizes. With steel, simply count out the pellets or weigh and set dipper accordingly.

90973 3.98

www.leeprecision.com

39

1/20/23 2:46 PM

### LEGACY PRODUCTS

AFTER 30+ YEARS OF PRODUCTION, THE LEE LOAD-MASTER HAS BEEN MOVED TO LEGACY STATUS.

> WE HAVE PRODUCTS STILL AVAILABLE FOR THESE TOOLS:

**LOAD-MASTER 5-HOLE TURRET**90079



LOAD-MASTER PRIMER SHIELD 90363



PRE-2023 PRO 1000 PRIMING ATTACHMENT



PRE-2023 PRO 1000 TURRET PRESS 3-HOLE TURRET 90497



LEE LOADMASTER PRIMER FEEDERS





### **LOAD-MASTER SHELL PLATES**

| PRODUCT<br>NO. | PLATE | CARTRIDGES                        |
|----------------|-------|-----------------------------------|
| 90908          | 2L    | 45 ACP, 30/06, 308, 6.5 CREEDMOOR |
| 90910          | 45    | 222, 223, 380 ACP                 |
| 90912          | 65    | 32/20, 25/20, ETC.                |
| 90915          | 9L    | 41 MAGNUM                         |
| 90916          | 10L   | 220 SWIFT, 6.5 JAP, 458 SOCOM     |
| 90918          | 12L   | 7.62X39, 6MM PPC, 22 PPC, ETC.    |
| 90919          | 14L   | 44/40, 38/40, 45 COLT, 460 S&W    |
| 90612          | 16L   | 500 S&W, 7.62X54R                 |
| 90920          | 195   | 9MM LUGER, 40 S&W, 38 SUPER, ETC. |
| 90068          | 19L   | 10MM AUTO                         |
| 90984          | 21L   | 6.8 REM SPC, 224 VALKYRIE         |

### The Lee Guarantee

**LEE RELOADING PRODUCTS** are guaranteed not to wear out or break from normal use for two full years or they will be repaired or replaced at no charge, if returned to the factory. Any **LEE PRODUCT** of current manufacture, regardless of age or condition, will be reconditioned to new—including new guarantee—if returned to the factory with payment equal to half the current retail price

AUTO BENCH PRIME | AUTO BREECH LOCK PRO | AUTO-DRUM | BREECH LOCK | CLASSIC CAST LOAD-MASTER | LEVER PRIME SYSTEM | LEE LOADER | LOAD-ALL II | RGB FACTORY CRIMP | PACESETTER | PERFECT POWDER MEASURE | SAFETY SCALE | AUTO-PRIME BULGE BUSTER | MICRO-BAND DRIVE KEY | R-E-A-L | ARE TRADEMARKS OF LEE PRECISION, INC.



www.leeprecision.com

PRINTED IN THE USA | 12023

2023CATALOG\_11823.indd 40 1/20/23 2:46 PM